



PMR



PMR

PMR

PMR



اورغـ واى



**URUGUAY**

Everything Under Safety And  
A Little Bit More...

PMR



PMR



PMR



# About us

Uruguay was established 28 years ago with a goal to become a reliable safety equipment distributor in the UAE. We are proud to have grown as one of the largest quality safety product manufacturers and distributors in the Middle East & African region. We design, manufacture, and distribute a comprehensive range of unique, reliable, and comfortable quality products.

To meet the needs of our clients, we have established manufacturing unit for corporate and industrial clothing with computerized embroidery and a printing facility for screen printing along with a manufacturing unit for safety signs and signboards. Our mission is to maintain a long-term and reliable relationship with our clients and customers and to provide them with comprehensive, cutting-edge, professional, and efficient services.

We have an experienced, committed, and customer friendly management and sales team. To understand the requirements of our clients, we are constantly upgrading our products to meet their needs wherever required and aim to deliver the most appropriate products and services at the right place and time. Our expansion of the product line provides a considerable selection to diversify customers and transform Uruguay into a brand with innovative and value-added quality products. Our outstanding customer service and technical support team are is to visit your office, site, or wherever our assistance is required. We take this opportunity to convey our gratitude for the support and cooperation extended to us through all these years and hope to continue the same for years to come.

## **Uruguay Oil Field & Safety Equipment Supplies**

**P.O Box:48270 Muroor Road , Abu Dhabi, UAE**

Tel:+971 2 445 8811, Fax: +971 2 445 6161

Email: [ursafety@eim.ae](mailto:ursafety@eim.ae) / [anees@uruguayoilfield.com](mailto:anees@uruguayoilfield.com)

Web: [www.uruguayoilfields.com](http://www.uruguayoilfields.com) / [www.pmrssafety.com](http://www.pmrssafety.com)

Online store: [pmrsafetycart.com](http://pmrsafetycart.com)

**Branches:** Musaffah M12, Sharjah

**Sister Companies:** Uruguay Arts-Musaffah M12  
Pan Arab (uniforms)-Ajman



# Introduction

We have put our time and effort in developing an environment that is risk-averse and safe for our clients. The quality of products we supply have been established after maintaining an improved quality management systems based on ISO quality standards. The durability and material quality of the products is our trademark.

The need to focus on addressing the health and safety issues and to seek out potential risks that may endangers the work force has always been our prime concern.

Considering the best quality services and products that need to be extended to the customers, we have been upgrading our product collections from time to time. The wide range of customized safety equipment has succeeded in catering to the individual needs of customers and in sealing off any type of shortcomings.

With due respect to the responsibility that our customers have entrusted us, we have made available a suitably connected customer care service for your assistance at all times. Your safety is our concern.



## Vision

We intend to introduce the best possible products in the market to provide the highest quality services to the customers. We ensure that all our products are reviewed and rechecked every day with new quality check procedures along with the feedback of the customers and thereby making changes accordingly. Quality and perfection shall not be compromised.



## Mission

We aim to focus on creating a customer-friendly workspace through a more concentrated approach to the needs of the customers. Following a good customer relationship motive, we expect to consider the individual interests of our customers and work accordingly. This will ensure the absence of any drawbacks, as it emphasizes fulfilling the complete criteria of personal protective equipment.

# Contents

Eye Protection	05
Head Protection	13
Ear Protection	25
Body Protection	29
Hand Protection	39
Foot Protection	47
Resp. Protection	53
Fall Protection	57
First Aid & Rescue	63
Meters & Detectors	69
Tools & Equipments	75
Miscellaneous	85
Signs & Sign Board	97



Adnoc approved product



Available Colors



# EYE PROTECTION

▲ SAFETY GLASSES

▲ SAFETY GOGGLES

▲ PRESCRIPTION GLASSES



# Safety Glasses

**sellstrom**  
Product that works.



**X400 Series**  
**#5SRA-500129**

- Anti-scratch UV absorbing polycarbonate lens
- Meets ANSI Z87.1 + High Impact Standard



**X500 Series**  
**#5SRA-500136**

- Soft, closed cell padding
- Quick release strap
- Meets ANSI Z87.1 + High Impact Standards



**Malibu Jack MJ20**  
**#5SRA-500113**

- Sporty look with great protection
- Meets ANSI Z87.1 + High Impact Standards



**ADNOC**  
APPROVED PRODUCT

**Sebring Series**  
**#5SRA-500104**

- Excellent side protection
- Extendable temples
- Meets ANSI Z87.1 + High Impact Standard



**Grafit Series**  
**#5SRA-500140**

- Shade 3 and 5 IR lens option for welding
- Meets ANSI Z87.1 + High Impact Standard



**Maxview Series**  
**#5SRA-501585**

- Fits over most prescription glasses
- Meets ANSI Z87.1 + High Impact Standard



**Matrix Series**  
**#5SRA-600131**

- Great style providing a secure, comfortable fit
- Meets ANSI Z87.1 + High Impact Standard



**PMR Sacla Glass**  
**#5SRA-600135**

- Panoramic vision
- Side Protection
- Meets ANSI Z87.1 + High Impact Standard



**Malibu Jack MJ16/17**  
**#5SRA-700167/800205**

- Rubberized straight temple
- Meets ANSI Z87.1 + High Impact



**ADNOC**  
APPROVED PRODUCT

**MSA Aurora**  
**#5SRA-500214**

- Tuff Stuff™ Anti-scratch Coating
- Soft tip, straight back temples
- Meets ANSI Z87.1 + High Impact Standard



**MSA Arctic**  
**#5SRA-501451**

- Side impact resistant
- Cat's eye look
- Meets ANSI Z87.1 + High Impact Standard



**MSA Easy-Flex**  
**#5SRA-501450**

- Soft padded nose bridge
- Meets ANSI Z87.1 + High Impact Standard

**PMR**  
SAFETY

**MSA**  
The Safety Company

**bolle**  
SAFETY

# Safety Glasses



**Malibu Jack MJ15**  
#5SRA-500102

- Soft padded nose bridge
- Straight temple tips
- Meets ANSI Z87.1 + High Impact Standard



**TechnoSport II Series**  
#5SRA-500192

- Indoor-outdoor mirror lens
- Meets ANSI Z87.1 + High Impact



**X100 Series**  
#5SRA-500115

- Rubberized straight temple
- Meets ANSI Z87.1 + High Impact

**selstrom**  
Product that works.

**PMR**  
SAFETY

**MSA**  
The Safety Company

**bolle**  
SAFETY



**X200 Series**  
#5SRA-500118

- UV absorbing polycarbonate lens
- Meets ANSI Z87.1 + High Impact Standard



**X300 Series**  
#5SRA-500124

- 99.9% UV Protection
- Meets ANSI Z87.1 + High Impact Standard



**Sebring 600 Series**  
#5SRA-500134

- Bifocal reader in lens
- Excellent side protection
- Meets ANSI Z87.1 + High Impact Standard



**XPS 530 Series**  
#5SRA-600100

- detachable soft co-molded temples
- fire-resistant cloth strap
- Meets ANSI Z87.1 + High Impact Standard



**X330 Series**  
#5SRA-600105

- anti-scratch hard coating
- Meets ANSI Z87.1 + High Impact Standard



**B5 Series**  
#5SRA-600101

- Features contouring sideshields.
- Meets ANSI Z87.1 + High Impact Standard



**XM300 Series**  
#5SRA-600103

- PC lens offers superior coverage
- Meets ANSI Z87.1 + High Impact Standard



**X300 Series RX**  
#5SRA 600102

- Lens features an anti-scratch hard coating
- Meets ANSI Z87.1 + High Impact Standard



**XM310 Series**  
#5SRA-600107

- provides superior coverage
- Meets ANSI Z87.1 + High Impact

# Safety Glasses

**sellstrom**  
Product that works.



**ADNOC**  
APPROVED PRODUCT

**TRACKER**  
**#5SRA-500194**

- Upper, lower and side protection
- Adjustable headband & microfiber pouch included
- Meets ANSI Z87.1 + High Impact Standard



**SUPERNYLSUN**  
**#5SRA-600122**

- Filter protection for industrial solar radiation.
- Meets ANSI Z87.1 + High Impact Standard



**SLAM**  
**#5SRA-600123**

- Polycarbonate
- Anti-scratch Lens
- Meets ANSI Z87.1 + High Impact Standard



**RUSH+Glow**  
**#5SRA-600124**

- Ultra-flex and phosphorescent temples
- Upper protection
- Meets ANSI Z87.1 + High Impact Standard



**SILIUM**  
**#5SRA-500199**

- Polycarbonate
- Anti-scratch Lens
- Meets ANSI Z87.1 + High Impact Standard



**HUSTLER**  
**#5SRA-500202**

- High contour design
- Meets ANSI Z87.1 + High Impact Standard



**SOLIS**  
**#5SRA-501471**

- Flexible temples to fit larger faces
- Meets ANSI Z87.1 + High Impact Standard



**CONTOUR**  
**#5SRA-501466**

- Sports shaped temples for maximum comfort
- Meets ANSI Z87.1 + High Impact Standard



**CONTOUR METAL**  
**#5SRA-501470**

- Adjustable non-slip bridge.
- Non-slip TIPGRIP temples.
- Meets ANSI Z87.1 + High Impact Standard



**SLAM+**  
**#5SRA-600126**

- Wraparound fit to provide a panoramic visual
- Meets ANSI Z87.1 + High Impact Standard



**TARGA**  
**#5SRA-600125**

- suited to use in indoor
- Meets ANSI Z87.1 + High Impact Standard



**SILIUM+**  
**#5SRA-501463**

- Ultra lightweight frame
- Platinum coating
- Meets ANSI Z87.1 + High Impact Standard

**P.M.R.**  
SAFETY

**MSA**  
The Safety Company

**bolle**  
SAFETY



# Safety Glasses



**SG CLASSIC**  
**#5SRA-800100**

- Flexible temples to fit larger faces
- Meets ANSI Z87.1 + High Impact Standard



**SG+ POLARIZED**  
**#5SRA-800101**

- Sports shaped temples for maximum comfort
- Meets ANSI Z87.1 + High Impact Standard



**SGf FRAMELESS**  
**#5SRA-800102**

- Adjustable non-slip bridge.
- Non-slip TIPGRIP temples.
- Meets ANSI Z87.1 + High Impact Standard



**SG IR INFRARED**  
**#5SRA-800103**

- Wraparound fit to provide a panoramic visual
- Meets ANSI Z87.1 + High Impact Standard



**SG READERS**  
**#5SRA-800104**

- suited to use in indoor
- Meets ANSI Z87.1 + High Impact Standard



**SG READERS**  
**#5SRA-800105**

- suited to use in indoor
- Meets ANSI Z87.1 + High Impact Standard

Frames are lightweight for added comfort and ultra-flexible for a near custom fit

Specially formulated ultra-strong material offers unmatched durability and toughness

All models come complete with a convenient neck cord to prevent loss



Soft-touch temples are slip-resistant and provide comfort for hours on end

Polycarbonate material meets ANSI Z87.1 and provides 99.9% UV protection

Choose from a variety of lenses and coatings to fit any application

Wraparound style lenses extend eye protection to the periphery

**JACKSON**  
SAFETY

# Safety Glasses

**sellstrom**  
Product that works.



**XM330 Series**  
**#5SRA-600108**

- Soft padded nose bridge
- Straight temple tips
- Meets ANSI Z87.1 + High Impact Standard



**X350 Series**  
**#5SRA-600106**

- Indoor-outdoor mirror lens
- Meets ANSI Z87.1 + High Impact



**XP450 series**  
**#5SRA-600110**

- Rubberized straight temple
- Meets ANSI Z87.1 + High Impact



**XM330 Series**  
**#5SRA-600108**

- Lens offers superior coverage
- Meets ANSI Z87.1 + High Impact Standard



**X350 Series**  
**#5SRA-600106**

- Used it over most medium sized prescription eyewear
- Meets ANSI Z87.1 + High Impact Standard



**XP450 series**  
**#5SRA-600110**

- Sportiest looking safety glass
- offers all day comfort
- Meets ANSI Z87.1 + High Impact Standard



**XP410 series**  
**#5SRA-600111**

- ultra-thinblack/green co-molded temples
- Meets ANSI Z87.1 + High Impact Standard



**XP460 series**  
**#5SRA-600121**

- Full frame premium safety glass
- Meets ANSI Z87.1 + High Impact Standard



**XPS502 Series**  
**#5SRA-600120**

- Adjust temples for maximum comfort and protection
- Meets ANSI Z87.1 + High Impact Standard



**SPLASH 2**  
**#5SRA-600124**

- Optimum coverage of the protected area, even over prescription glasses.
- CE EN 166:2001 / EN 170:2002



**Clear, Delta Plus**  
**#5SRA-50019**

- No Anti-Mist Qualities
- Fastening Loops
- No Anti-Scratch Qualities



**UV Protective, Anti-Fog**  
**#S80300**

- UV Protective, Anti-Fog Coating, Protective Safety Goggle with Polycarbonate Chin Guard
- ANSI Z87.1 + 2015 standards

**MSA**  
The Safety Company


**bolle**  
SAFETY

# Safety Goggles



**Odyssey Industrial**  
#55RA-500215

- Meets ANSI Z87.1 + High Impact Standards
- CUL Certified to meet CAN/CSA Z94.3 Standards



**Odyssey Chemical Splash**  
#55RA-500216

- Meets ANSI Z87.1 + High Impact Standards
- CUL Certified to meet CAN/CSA Z94.3 Standards



**Odyssey Wildland Fire**  
#55RA-500221

- High Temperature Resistant
- Meets ANSI Z87.1 + High Impact Standards.



**Odyssey Tactical**  
#55RA-500224

- Complete Panoramic Vision.
- Meets ANSI Z87.1 + High Impact Standards.



**Odyssey Clean Room**  
#55RA-500219

- High Temperature resistant
- Meets ANSI Z87.1 + High Impact Standards



**Odyssey Shade 5 Cutting**  
#55RA-500226

- Durable Shade 5 IR lens.
- Ultra comfortable, soft goggle body, snug seal

**sellstrom**  
Product that works.

**PMR**  
SAFETY

**JACKSON**  
SAFETY

**MSA**  
The Safety Company

**bolle**  
SAFETY



**LIFT FRONT PLATE**  
#55RA-500262

- Clear plastic lens for viewing protection when lift front of the hinged position.
- Meets ANSI Z87.1 + High impact ST



**Goggle with Visor**  
#55RA-501474

- UV Protective, Anti-Fog Coating, Protective Safety Goggle with Polycarbonate Chin Guard
- ANSI Z87.1 + 2015 standards



**DIRECT VENT**  
#BG 200

- UV absorbing polycarbonate lens.
- Available in Anti-Fog.
- Meets ANSI Z87.1 + High Impact Standards.



**Indirect Vent**  
#BG210

- Polycarbonate lens filter 99% of harmful UVA/UVB rays.
- 99.9 % UV Protection
- ANSI Z87 Certified + CE EN166



**NON-VENT**  
#BG 100N

- Non-Vent green PVC goggle body.
- ANSI Z87 +
- 99.9 % UV Protection



**INDIRECT VENT**  
#BGP55

- Indirect Vent grey PVC goggle body.
- Clear Polycarbonate lens.
- ANSI Z87+

# Prescription Glasses

**sellstrom**  
Product that works.



**Metal-B707**  
**#5SRA-501475**

- Soft padded nose bridge
- Straight temple tips
- Meets ANSI Z87.1 + High Impact Standard



**Metal-B708**  
**#5SRA-501476**

- Indoor-outdoor mirror lens
- Meets ANSI Z87.1 + High Impact



**Metal-B709**  
**#5SRA-501477**

- Rubberized straight temple
- Meets ANSI Z87.1 + High Impact



**Metal-B710**  
**#5SRA-501478**

- UV absorbing polycarbonate lens
- Meets ANSI Z87.1 + High Impact Standard



**Metal-B711**  
**#5SRA-501479**

- 99.9% UV Protection
- Meets ANSI Z87.1 + High Impact Standard



**Metal-B712**  
**#5SRA-501480**

- Bifocal reader in lens
- Excellent side protection
- Meets ANSI Z87.1 + High Impact Standard



**Metal-B806 ALU**  
**#5SRA-501481**

- detachable soft co-molded temples
- fire-resistant cloth strap
- Meets ANSI Z87.1 + High Impact Standard



**Plastic-B805**  
**#5SRA-501483**

- anti-scratch hard coating
- Meets ANSI Z87.1 + High Impact Standard



**Plastic-B806**  
**#5SRA-501482**

- Features contouring sideshields.
- Meets ANSI Z87.1 + High Impact Standard



**Plastic-B807**  
**#5SRA-501484**

- PC lens offers superior coverage
- Meets ANSI Z87.1 + High Impact Standard



**Plastic-B805**  
**#5SRA-501485-86**

- Lens features an anti-scratch hard coating
- Meets ANSI Z87.1 + High Impact Standard



**Plastic-Premium**  
**#5SRA-501487**

- provides superior coverage
- Meets ANSI Z87.1 + High Impact

**PMP**  
SAFETY

**MSA**  
The Safety Company

**bolle**  
SAFETY

# HEAD PROTECTION



▲ SAFETY HELMETS

▲ FIRE, WELDING HELMETS

▲ FACE SHIELDS, ACCESSORIES

# Safety Helmets

**V-Gard® Hard Hat Cap (Normal)**

**#5SRA-600501**

Vented V-Gard 500 Caps provide cooling vents for improved air circulation and comfort. Special features of this helmet include Glaregard® Surface underbrim to help reduce reflective glare; contoured styling allows integration of hearing protection; extended rain trough helps to protect while within wet environments.



**Classification:** Type I

**application:** General purpose

**Shell Material:** Polyethylene

**Styles:** Vented or non-vented slotted cap

**Sizes:** Standard (6 1/2 – 8")

**Standards:** ANSI/ISEA Z89.1-2014 (Vented - Class C; Non-Vented Class E); CSA Z94.1-2015 (Vented - Class C; Non-Vented Class E)

**Certification:** Third-party by SEI

**Customization:** Imprinting and striping available

**Markets:** Construction, Utilities, Mining, Oil & Gas, General Industry

**Applications:** Search & Rescue, Welding, Emergency Response, Confined Space, Working at Heights, Turnarounds & Plant Maintenance

## FAS. TRAC III SWEATBAND ACCESSORY

REPLACEMENT FAS<sup>®</sup>TRAC<sup>®</sup> III SUSPENSIONS



(4-point)



(6-point)



- For use with MSA Fas-Trac III Suspension
- Optional, moisture-wicking and washable
- Can be attached/replaced without removing suspension
- Sold ONLY in packages of 10

# Safety Helmets

## V-Gard® Hard Hat Cap (Vented) #5SRA-800202

**Classification:** Type I

**Application:** General purpose

**Shell Material:** Polyethylene

**Styles:** Vented or non-vented slotted cap

**Sizes:** Standard (6" – 8")

**Standards:** ANSI/ISEA Z89.1-2014

(Vented - Class C; Non-Vented Class E);

CSA Z94.1-2015

(Vented - Class C; Non-Vented Class E)

**Certification:** Third-party by SEI

**Customization:** Imprinting and striping available



## V-Gard® Full Brim Hat

#5SRA-800201

The MSA V-Gard Helmet, with its distinctive trademark "V" design, is a world recognized brand known for comfort, quality, and durability. MSA has sold well over 100 million V-Gard Helmets since its introduction—so many in fact, that the iconic "V" design has been a mainstay for many years on even the toughest worksites.



### Features

- Superior top impact protection
- Fas-Trac III suspension is the most comfortable on the market— preferred by 92% of users
- Designed for use with MSA accessories to ensure compliance with the helmet & accessory

### Available colors



# Safety Helmets

## PMR Safety Helmet ( Normal&Vented)

#5SRA-600150(V)

- Shell manufactured from HDPE ANSI, CE certified
- Hi-Performance EN397 Safety Helmets
- Excellent shock absorption
- Light in weight yet strong
- Universal Slots on both sides for accessory mounting like ear defenders, or welding mask.
- Sufficient no. of venting holes for air circulation
- Provision for chin strap fastenings\*
- Branding areas on sides or front for Customer.
- Ergonomic and innovative design
- Non-Vented Type versions also available



## PMR Safety Helmet ( With Chinstrap)

#5SRA-501696



### Available colors



### Features:

- High Density Polyethylene (HDPE) – ABS-VENTILATED SAFETY HELMET
- PMR Safety Helmet is an EN397 Certified six point plastic suspension PE Shell Helmet.
- Especially designed & certified for the Construction workers, mining, industrial and general maintenance. Economical, Durable and a Reliable product.



# Safety Helmets

**MX WILLIAMS (Normal&Vented)**

**#5SRA-BG100N**

- Shell manufactured from HDPE ANSI, CE certified
- Hi-Performance EN397 Safety Helmets
- Excellent shock absorption
- Light in weight & strong
- Universal Slots on both sides for accessory mounting like ear defenders, or welding mask.
- Provision for chin strap fastenings.
- Branding areas on sides or front for Customer.
- Ergonomic and innovative design
- 4 WIDE point support for maximum comfort & easy impact absorption.



**Available colors**



**SUN SHADE VISOR**

**#5SRA-800203**



- Soft lightweight material
- Blocks sun from your face and neck on job sites lacking other forms of shade
- Fits on the outside of cap style and full brim hard hats
- Shown with Ridgeline hard hat - sold separately






**Available Colors:**



# Fire Helmets






## Fireman Helmet FI XF #5SRA-600526



- Ergonomic, well balanced design, providing unmatched comfort in all operating conditions
  - 2 helmet sizes ensuring an optimal fit for both small and large head sizes
  - Effective, intuitive and robust adjustment mechanisms, ensuring optimal fit for all user profiles
-     

## Fireman Helmet FI SF #5SRA-600525



- Purpose-built helmet features polyamide shell, reinforced impact-absorbing padding for unsurpassed protection
  - Integrated eye screen and face shield for a variety of applications
  - Interfaces for attachment of SCBA mask, lamps and communication systems
-     

## PG, PAB Compacta #5SRA-800204



- Lightweight only 1.350 g (including visor face shield and neck protector)
- Extreme temperature resistance (up to 1.000 °C) in a 10 seconds flash over flames
- Long-term resistance to 250°C / 30 min, radiant heat test 14 KW / m<sup>2</sup>
- Full head protection (neck,face)

# Welding Helmets & Hood



## LEATHER WELDING HOOD

### #5SRA-500765

- Ideal for tight, confined spaces.
- Features patented Sel-Snap lens retention system, providing easy loading of filter, cover and protective plates.
- Meets ANSI Z87.1 Standards.



## Confined Space Welding Hood

### #5SRA-500767

- Passive Welding Hood,
- Lens Shade 10,
- Color Gray, P
- Plate Height 2 In.,
- Plate Width 4-1/4 In
- Standards ANSI Z87 + High Impact



## Advantage Series Welding Helmet

### #5SRA-500750

- Extended crown provides greater overhead protection
- Ideal for all welding applications
- Easy filter replacement
- Rigid bib deflects welding spatter
- CUL Certified to meet CAN/CSA Z94.3 Standards



## Fixed Front Welding Helmet

### #5SRA-500755

- Material: Molded from Super Tuff Nylon
- The passive welding helmet has a 2" x 4 1/4" fixed front
- OSHA certified and meets ANSI Z87.1 + High Impact standards
- CUL Certified to meet CAN/CSA Z94.3 Standards



## Smart Weld Pro Welding Helmets

### #5SRA-500634

- Smartweld Pro,
- Thermoplastic, Plate Width 3.94",
- Plate Height 2.13 In., Headgear Ratchet Style, Filter 8-12, Color Black
- OSHA certified and meets ANSI Z87.1 + High Impact standards
- CUL Certified to meet CAN/CSA Z94.3 Standards

# Welding Helmets



## Welding Helmets

- #5SRA-600414
- #5SRA-600415
- #5SRA-600416
- #5SRA-600417
- #5SRA-600418
- #5SRA-600419

- Ideal for all welding applications
- Featured with the new patent pending "Quick Release" ratchet headgear suspension allowing the user to adjust size and tighten at the turn of a knob and RELEASE at the pull of a knob.



**TRANSLIGHT™ 455**  
#5SRA-800106

- Auto DarkBest in class switching speeds of 1/40,000 sec maximize comfort and decrease eye fatigue
- ANSI Z87.1, CAN/CSA Z94.3 and is CE certified



**Insight Digital**  
#5SRA-800107

- Lithium batteries with easy access
- 2-year warranty on ADF
- Meets ANSI Z87.1 - 2010 and is CSA compliant
- Solar assist (energy)



**Nitro Variable ADF**  
#5SRA-800108

- Three independent arc sensors
- Solar powered
- Meets ANSI Z87.1 - standards and is CSA compliant



**SmartIGer Variable**  
#5SRA-800109

- ADF comes with a 5- year warranty
- Meets ANSI Z87.1
- DIN and CE certified
- Superior angle of view



**WH40 Variable ADF**  
#5SRA-800110

- Solar powered
- 2 independent sensors
- Meets ANSI Z87.1 - 2010 standards and is CSA compliant



**BH3 Variable ADF**  
#5SRA-800111

- Meets EN379 standards
- Meets ANSI Z87.1 high impact standard
- CE certified, and meets DIN Plus requirements

**sellstrom**  
Product that works.

**JACKSON**  
SAFETY

# Welding Helmets & Accessories



**14979 HSL 1**  
**#5SRA-800112**

- Hard hat adaptable using Model 15968 (sold separately)
- Meets ANSI Z87.1-2010
- CSA compliant
- Narrow shell design is perfect for work in tight spaces



**14977 HSL 100**  
**#5SRA-800113**

- Comes complete with cover plate and shade 10 polycarbonate filter plate
- ADF adaptable
- Meets ANSI-Z87.1-2010
- CSA compliant



**MAXVIEW Face Shield**  
**#5SRA-800114**

- Extra-large polycarbonate window for superior optics and panoramic view
- Integrated side and chin guard protect against splash and flying debris



**370 Headgear**  
**#5SRA-800115**

- Sweatband helps absorb perspiration and prevents sweat from interfering with vision
- Replacement sweatband (Model 32187) available




**117A Headgear**  
**#5SRA-800116**

- Teeth are automatically disengaged during adjustment
- Air-cushioned cloth sweatband is washable and durable



**Mounting Blades**  
**#5SRA-800117**

- Works with Halo X series, HSL series, and Nitro style welding helmets
- Works with SC6, Sentry, and Charger style hard hats



**Passive Filter Series**  
**#5SRA-800118**

- To prevent surface damage to welding filter plates and auto-darkening lenses, clear safety plates should always be inserted in front for protection.



**Safety Plate**  
**#5SRA-800119**

- Compatible with a variety of Jackson Safety welding helmets
- Helps prevent surface damage to filter plates and lenses



**Mag Plates**  
**#5SRA-800120**

- offers a selection of mag plates from 1.00-2.50 rating and can be used on both passive and auto-darkening styles.

**JACKSON**  
SAFETY

# Bump Caps



**Shock Proof Cap**  
**#6CHV160NSI/170NSI**

- High quality optics for excellent beam spread control
- Ultra-light LEDs, energy saving



**Shock Proof Cap**  
**#6CPL050NSI**

- Compliance to FAA and ICAO standard
- Toppling structure design, easy to maintain



**Shock Proof Cap**  
**#6CMS120NSI/010NSI**

- High quality optics for excellent beam spread control
- Customizable for both AC and DC conditions



**STYLCAP**  
**#6SYM120**

- High quality optics for excellent beam spread control
- Ultra-light LEDs, energy saving



**Shock Proof Cap**  
**#6CPS120NSI**

- Compliance to FAA and ICAO standard
- Toppling structure design, easy to maintain



**Shock Proof Cap**  
**#6CMM120NSI**

- High quality optics for excellent beam spread control
- Customizable for both AC and DC conditions



**HV Working Cap**  
**#MO57308**

- High quality optics for excellent beam spread control
- Ultra-light LEDs, energy saving



**STYLCAP**  
**#6SYS120**

- Compliance to FAA and ICAO standard
- Toppling structure design, easy to maintain



**Working Cap**  
**#MO57300**

- High quality optics for excellent beam spread control
- Customizable for both AC and DC conditions

# Hats & Accessories



**Hard Hat-CH-400V**  
**#5SRA-800121**

- Comes standard with convenient built-in chin strap and cup
- Meets ANSI Z89.1,
- Type 1, Class C



**BLOCKHEAD® FG**  
**#5SRA-800122**

- Molded from special fiberglass materials – great for general and high heat applications
- Meets ANSI Z89.1 Class C



**Western Outlaw Series**  
**#5SRA-800123**

- Extra absorbent brow pad for added convenience
- Meets ANSI Z89.1, Class C, G, and E
- 4 pt ratchet suspension



**Wind Jammer IV**  
**#5SRA-800124**

- Silver with black fastener straps and elastic border snitching
- Meets 16 CFR 1610 Class 1
- for extreme cold-weather



**Hard hat Interchange**  
**#5SRA-800125**

- vertical lock-in to eliminate helmet and face shield creep,
- built with a push button quick release which works even while wearing gloves.



**Face shield Adapter**  
**#5SRA-800126**

- Face shields are easily secured with integrated plastic lugs
- Attaches to SC-6 and Sentry III hard hat styles



**Model P Cap Adapter**  
**#5SRA-800127**

- The Model P adapter is designed to be used with bill-forward facing hats.
- easily attaches to Jackson Safety Sentry III, Charger and SC-6 Hard Hats and a variety of face shields.



**382 B Cap Adapter**  
**#5SRA-800128**

- Face shields are easily secured with integrated plastic lugs
- Attaches to SC-6, Sentry III, and Charger Hard Hats
- Polyethylene spark deflector with pivoting blades



**282 B Capmount**  
**#5SRA-800129**

- For use with non-slotted hard hats
- Uses clips pressed over the cap rim for firm fit
- Polyethylene spark deflector
- Capmount Adapter

**JACKSON®**  
SAFETY

# Face Shields & Accessories

**sellstrom**  
Product that works.



**Brush Cutter System**  
#5SRA-500424

- Anti-scratch UV absorbing polycarbonate lens
- Meets ANSI Z87.1 + High Impact Standard



**Faceshield with Adapter**  
#MA-501551

- Anti-scratch UV absorbing polycarbonate lens
- Meets ANSI Z87.1 + High Impact Standard



**DP4 Faceshield**  
#5SRA-500306

- Meets ANSI Z87.1 + High Impact Standards.
- Full Face Clear Anti-Fog Window.



**ARC Flash Faceshield**  
#5SRA-500288

- 9.9 Cal/cm2 Arc Rating.
- Meets ANSI Z87.1 + High Impact Standard
- Complete Panoramic vision



**380 Series Faceshield**  
#5SRA-500310

- Chemical Splash Resistant.
- Meets ANSI Z87.1 + High Impact Standard
- Extreme Impact Strength.



**Weather Protector Hood**  
#5SRA-501347

- Protection against heavy wind & dust particles.
- Super fine double knit cotton Jersey.



**Hard Hat Adapter**  
#5SRA-500430

- Anti-scratch UV absorbing polycarbonate lens
- Meets ANSI Z87.1 + High Impact Standard



**Non-Slotted Hat Adapter**  
#5SRA-500428

- Anti-scratch UV absorbing polycarbonate lens
- Meets ANSI Z87.1 + High Impact Standard



**30110 Series Faceshield**  
#5SRA-500334

- Anti-scratch UV absorbing polycarbonate lens
- Meets ANSI Z87.1 + High Impact Standard



**Medical Faceshield**  
#5SRA-500343

- Anti-scratch UV absorbing polycarbonate lens
- Meets ANSI Z87.1 + High Impact Standard

**PMR**  
SAFETY

**Allen**  
**Cooper**





# EAR PROTECTION

▲ EAR MUFFS

▲ EAR PLUGS

# Ear Muffs

**sellstrom**  
Product that works.



## Premium Dielectric Ear Muffs

**#5SRA-600523**

- Purpose-built helmet features polyamide shell, reinforced impact-absorbing padding for unsurpassed protection
- Integrated eye screen and face shield for a variety of applications
- Interfaces for attachment of SCBA mask, lamps and



## Hi Noise Premium Ear Muffs

**#5SRA-600524**

- Purpose-built helmet features polyamide shell, reinforced impact-absorbing padding for unsurpassed protection
- Integrated eye screen and face shield for a variety of applications
- Interfaces for attachment of SCBA mask, lamps and



## Tonedown 200 Ear Muffs

**#5SRA-500434**

- Purpose-built helmet features polyamide shell, reinforced impact-absorbing padding for unsurpassed protection
- Integrated eye screen and face shield for a variety of applications
- Interfaces for attachment of SCBA mask, lamps and



## HPE Cap Mounted Ear Muffs

**#5SRA-501618**

- Purpose-built helmet features polyamide shell, reinforced impact-absorbing padding for unsurpassed protection
- Integrated eye screen and face shield for a variety of applications
- Interfaces for attachment of SCBA mask, lamps and



## EXC Cap Mounted Ear Muffs

**#5SRA-50/608**

- Purpose-built helmet features polyamide shell, reinforced impact-absorbing padding for unsurpassed protection
- Integrated eye screen and face shield for a variety of applications
- Interfaces for attachment of SCBA mask, lamps and

**MSA**  
The Safety Company



## De-Tone Ear Plugs

### #5SRA-500436

- Purpose-built helmet features polyamide shell, reinforced impact-absorbing padding for unsurpassed protection
- Integrated eye screen and face shield for a variety of applications
- Interfaces for attachment of SCBA mask, lamps and



## SPA 3 Ear Muff

### #5SRA-600525

- Ear Defender with Polystyrene (PS) and synthetic foam cups.
- ABS Headband, adjustable height.
- Low Pressure Pads.



## Ear Defender for Helmet

### #5SRA-600526

- Adjustable in height.
- High flexibility ABS arms and cups.
- Cups padded with synthetic foam.
- Can be used on their own or with «VISOR HOLDER» face shield holder.



## Soft-Foam Ear Plugs : Corded

### #5SRA-BG-03C

- These Ear Plugs comply with European Directive 89/686/EEC and are designed for your personal safety.
- They must be worn when the process or job for which they are provided is being carried out.
- Ear protection marked EN352-2:2002 indicates that it has been manufactured to that standard.



## Soft-Foam Ear Plugs : Uncorded

### #5SRA-BG-03

- These Ear Plugs comply with European Directive 89/686/EEC and are designed for your personal safety.
- They must be worn when the process or job for which they are provided is being carried out.
- Ear protection marked EN352-2:2002 indicates that it has been manufactured to that standard.

# Ear Muffs & Ear plugs



## H70 Vibe Earmuffs #5SRA-800130

- Dielectric design means no exposed metal parts
- Available in orange, red, and black
- Various noise levels available in headband or cap mount styles
- ANSI S3.19-1074



## H70 Onyx Earmuffs #5SRA-800131

- Ball-and-socket pivoting cup attachment provides optimum pressure distribution
- Dielectric design means no exposed metal parts
- ANSI S3.19-1074
- Ultra-soft cushioning ideal for extended wear



## H20 Metal Detectable Earplug #5SRA-800132

- **Reusable**
- Individual packaging for hygienic storage
- Ridged for a better grip with insertion and removal
- Soft TPE flange for comfortable fit and seal
- ANSI S3.19-1074
- Special blue color contrasts with most food products



## H10 Metal Detectable Earplugs #5SRA-800133

- **Disposable**
- Bulk Pack (500 Pair)
- Wall mountable or desktop-ready
- Flip open design for added convenience
- Clear globe shows when refill is needed
- Mounting template and hardware included



## H20 Reusable Earplugs #5SRA-800134

- Ridged for a better grip with insertion and removal
- One size fits all
- Soft TPE flange for comfortable fit and seal
- Available in corded and uncorded
- ANSI S3.19-1074



# BODY PROTECTION

▲ SAFETY JACKETS & VESTS

▲ COVERALLS

▲ PROTECTION CLOTHING



## FR Coveralls

### #5SRA-600301

- EN ISO 11611:2007 E PROTECTIVE CLOTHING FOR USE IN WELDING AND ALLIED PROCESSES
- EN ISO 11612:2008 E PROTECTIVE CLOTHING -- CLOTHING TO PROTECT AGAINST HEAT AND FLAME
- EN ISO 1149-3 ELECTROSTATIC PROPERTIES A1 A2 B1 C1



## FR PANT & SHIRT

### #5SRA-600301P.S

- EN ISO 11611:2007 E PROTECTIVE CLOTHING FOR USE IN WELDING AND ALLIED PROCESSES
- EN ISO 11612:2008 E PROTECTIVE CLOTHING -- CLOTHING TO PROTECT AGAINST HEAT AND FLAME
- EN ISO 1149-3 ELECTROSTATIC PROPERTIES A1 A2 B1 C1



## Flame Retardant 100% Nomex Coverall

### #5SRA-501508

- FR 99% cotton 1% antistatic CA 250gsm
- Performance guaranteed up to 50 washes
- Conforms to DIN IEN ISO 11612 A1+A2/B1/C1/E1/E2/F1, DIN EN ISO 11611 Class 1 – A1+A2/ Class 2-A1+A2



## 100% Cotton Coverall

### #5SRA-501506

- 210 GSM Fabric
- 100% Cotton
- 2 Stripes On Shoulders, 4 Stripes On Sleeves & 4 Stripes On Legs
- 3M Reflective tapes for high visibility



## Polycotton Coveralls

### #5SRA-501506PC

- 195 GSM
- Material:
- 65% Polyester, 35% Cotton



# Protective Clothing



**Fire Protection Clothing**  
#5SRA-501372



**Chemical Protection Clothing**  
#5SRA-501348



**ARC Flash Protection Clothing**  
#5SRA-502028



**Cold Storage Coverall**  
#5SRA-501632



**Cold Storage Jackets**  
#5SRA-501634



**Gas Tight Protection Clothing**  
#5SRA-501349



**Fire Proximity Suit**  
#5SRA-501633



**Fireman Jacket & Trouser**  
#5SRA-800135

**ENVIRGUARD**  
CORPORATE ENERGY & COMMERCIAL PRODUCTS

**PMR**  
SAFETY

**DELTA PLUS**  
"FOR SAFETY IN WORK"

**PER 4 MER**  
SAFETY PRODUCTS

P G PRODUCTS LTD



# Disposable Coveralls

## Chemical Protection Disposable Coveralls #5SRA-100101

- Made of 5-layer
- Sealed seams and an elasticized three-panel hood, waist, wrists, and ankle
- EN ISO 13688:2013; EN14605:2005+A1:2009 (Liquid-tight Type 3, Spray-tight Type 4)



## Chemical Splash Coverall #5SRA-501352

- High moisture vapor transfer rate improves wearer comfort
- Provides more protection in key exposure area.
- TYPE 5 BS EN ISO 13982-1: 2004



## Flame Resistant Coverall #5SRA-501355

- Phosphate-based fire retardant deprives flames of their fuel source
- Storm flap over zipper adds an extra layer of protection
- Meets NFPA 2113 requirement for section 5.1.9



## Microporous Coverall #5SRA-501354

- Elastic back stretches with user for more comfort and better tear resistance
- High moisture vapor transmission rate (MVTR) helps wearers feel cooler
- Fabric passes ASTM F1670 testing for blood penetration



## PP Non-Woven Coveralls #5SRA-CP19

- Material :PP Non-Woven
- Style: Dis. Coverall with Hood and Elastic Wrist.
- Weight: 50GSM
- Color: White
- Available in 50 GSM & 70 GSM



**ENVIRGUARD**  
Global Energy & Composites Solutions

**PMR SAFETY**

**Ansell**

**DELTA PLUS**  
ULTIMATE SAFETY AT WORK

**PER 4 MER**  
SAFETY PRODUCTS



# Disposable Coveralls

## PMR Disposable Coveralls #5SRA-600135

- Water Proof
- Micro porous
- Non Woven



## Protective Isolation Gowns #5SRA-600136

- Water Proof
- Non woven



## Sterile Surgical Gowns #5SRA-50137

- SMS Fabric
- Non woven



## Disposable Head Cover #5SRA-50138

- soft thread elastic for comfort fittings,
- attractive look.



## Disposable Shoe Cover #5SRA-50139

- Multipurpose Uses
- Perfect For Factories, Clean Rooms
- FIT MOST SHOES; One size, will fit most adult sizes



®  
**PER**  
**4**  
**MER**  
SAFETY PRODUCTS

**PMR**  
SAFETY

# Safety Vest

PMR SAFETY



**PMR Safety Vest**  
#5SRA-70143

- Custom design
- Pocketed type



**PMR Yellow Blue Vest**  
#5SRA-70143

- Custom design
- Pocketed type



**PMR Orange Vest**  
#5SRA-70143

- Custom design
- Pocketed type



**PMR Yellow Vest**  
#5SRA-70143

- Custom design
- Pocketed type



**PMR Safety Vest**  
#5SRA-70143

- Custom Design
- 4 Pocket Type



**PMR Yellow Black Vest**  
#5SRA-70143

- Custom Design
- 4 Pocket Type



**Vest Full Net**  
#5SRA-70143

- 2 Band Work vest Fully Certified to EN471 Class 2
- Velcro Closure
- Pocketed type.



**Hi-Reflective Jacket**  
#5SRA-70143

- 2 Band Work vest Fully Certified to EN471 Class 2
- Velcro Closure
- Pocketed type.



**Safety Vest Full Fabric**  
#5SRA-70143

- 2 Band Work vest Fully Certified to EN471 Class 2
- Velcro Closure
- Pocketed type.



# Safety Vest



**PMR Green Vest**

**#5SRA-70143**

- Custom design
- Pocketed type



**Warsaw Executive Vest**

**#5SRA-501640**

- Custom design
- Pocketed type



**PMR Yellow Black Vest -  
4 Pocket**

**#5SRA-70143**

- Custom design
- Pocketed type



**Reflective Jackets with  
Pocket**

**#5SRA-501587**

- 2 Band Work vest  
Fully Certified to  
EN471 Class 2
- Velcro Closure
- Pocketed type



**Executive Reflective  
Jackets**

**#5SRA-600413**

- 2 Band Work vest  
Fully Certified to  
EN471 Class 2
- Velcro Closure
- Pocketed type



**Iona Executive Vest**

**#5SRA-501641**

- Custom design
- Pocketed type



**PMR Reflective Belt**

**#5SRA-501587**



**PMR Reflective Belt**

**#5SRA-501587**



**PMR Reflective Belt**

**#5SRA-501587**

**PMR  
SAFETY**



# Safety Jacket

coverguard®



**Thermal Bomber**  
#5SOU-160

- High moisture vapor transfer rate improves wearer comfort
- Provides more protection in key exposure area.



**Multi-layer Parka**  
#7KANA

- High moisture vapor transfer rate improves wearer comfort
- Provides more protection in key exposure area.



**Parka - KETA**  
#7KETO

- High moisture vapor transfer rate improves wearer comfort
- Provides more protection in key exposure area.



**Parka - Roadway**  
#5SRA-70143

- High moisture vapor transfer rate improves wearer comfort
- Provides more protection in key exposure area.



**Winter Jacket**  
#5SRA-600582

- High moisture vapor transfer rate improves wearer comfort
- Provides more protection in key exposure area.

- 4 Pocket Type



**Ripstop Winter Jacket**  
#5SRA-600589

- High moisture vapor transfer rate improves wearer comfort
- Provides more protection in key exposure area.



**Regatta Dover Fleece-Lined Jacket**  
#TRW297

- 220 series anti-pill symmetry fleece lined body
- Waterproof Hydrafort 5000 Polyester fabric
- Windproof fabric
- Thermo-Guard insulation in sleeves
- Concealed zip entrance in lining for embroidery access
- Also available in ladies sizes code TRW298 and children's sizes code TRW418

REGATTA  
GREAT OUTDOORS



**Sweat shirt-FEAT**  
**#5SRA-800136**

- WEIGHT: 320 gr.
- FEATURES: 100% Polyester / Treatment 3 layers 8000MM + TPU menbrane (impermeability).
- UNI EN ISO 13688 2013



**Winter Jacket-Iceberg**  
**#5SRA-800137**

- WEIGHT: 216 gr.
- FEATURES: 100% Polyester mechanical stretch / Fabric 3 layers 10000 MVP (impermeability).



**Winter Jacket-Gaudy**  
**#5SRA-800138**

- BUST: Fabric laminated water-repellent · Weight 80 g/m<sup>2</sup> · Composition 100% Polyester + lining 200 g/m<sup>2</sup>



**Trousers-Party**  
**#5SRA-800139**

- WEIGHT: 370 gr.
- FEATURES: 98% Cotton, 2% Elastane / Treatment dyed / Knee pad pocket.
- UNI EN ISO 13688 2013



**Trousers-Scoop**  
**#5SRA-800140**

- WEIGHT: 230 gr.
- FEATURES: 98% Cotton, 2% elastane / Treatment dyed.
- UNI EN ISO 13688 2013



**Polo shirt - POKER**  
**#5SRA-800141**

- WEIGHT: 260 gr.
- FEATURES: 100% Cotton / Treatment dyed.
- Garment Dyed
- UNI EN ISO 13688 2013



**Cap-Basket**  
**#5SRA-800142**

- FABRIC: Twill
- COMPOSITION: 100% cotton
- UNI EN ISO 13688 2013
- Made in Italy



**Gloves-Gear, Grip**  
**#5SRA-800143**

- Leather glove with insert in polyamide
- Unlined.
- UNI EN ISO 13688 2013
- Made in Italy



**Hood-Bond bonny**  
**#5SRA-800144**

- FABRIC: Knit Rib
- COMPOSITION: 100% acrylic + fleece intern 100% polyester
- UNI EN ISO 13688 2013

# Uniforms



**Polo T-Shirts**  
**#5SRA-501510**



**Uniforms**  
**#5SRA-501511**



**Nursing Scrubs**  
**#5SRA-501637**



**Catering & Chefs Wear**  
**#5SRA-501638**



**Laboratory Coats**  
**#5SRA-501639**



**Cleaning Uniforms**  
**#5SRA-501639**

## Clothing services :

- Custom Logo Printing
- T-Shirt Printing
- Screen Printing
- Embroidery
- Digital Printing (DTG)
- Transfer Printing
- Vinyl Cut Printing
- Labelling & Bespoke Clothing
- Promotional Clothing Design
- Drop Shipping



# HAND PROTECTION

▲ SAFETY GLOVES

# Safety Gloves

Allen  
Cooper



## Workers/Rigger Gloves #5SRA-501345



- Palm and Knuckle Natural Colour Cow Hide Split Leather
- Back Breathable Cotton Colour Cloth
- Rubberized Safety Cuff with 100% Cotton Cloth Piping
- Shirred Elastic Wrist
- Conforms to EN 388 (2122)

## Cotton Dotted Gloves #5SRA-501609

- Good Abrasion Resistance
- Conforms to Cat I (Minimal Risk)
- Breathable & Absorbent
- PVC Single sided dotted palm & fingers
- Conforms to EN 388 (2122)



## Double Side Dotted Gloves #5SRA-BK2

- Good Abrasion Resistance
- Conforms to Cat I (Minimal Risk)
- Breathable & Absorbent
- PVC Double sided dotted palm & fingers
- Available in white & blue color.
- Conforms to EN 388 (2122)

## Leather Welding Gloves #5SRA-501625

- Protect the user's hands from high heat, molten metal, and flame.
- Top quality cowhide leather stitched with Kevlar
- Continuous one-piece backs
- Thickness 1.2mm-1.5mm
- 16 Inch Length
- Heat Resistance Leather
- CE EN 388 | EN 420



coverguard

PMR  
SAFETY

MX  
WILLIAMS





## Palm Coated Gloves

### #5SRA-G7

- Dark Blue Cotton/ Polyester Gloves, Green Latex Palm Coated, Open Back, Knit Wrist & Crinkle Grip.
- This PPE is designed for the protection against the Complex Risks (Category II)
- Conforms with EN388 (2142)

## Palm Coated Gloves

### #5SRA-Y7

- Yellow Cotton/ Polyester Gloves, Green Latex Palm Coated, Open Back, Knit Wrist & Crinkle Grip.
- This PPE is designed for the protection against the Complex Risks (Category II)
- Conforms with EN388 (2142)



## Welders Drivers Gloves

### #5SRA-501631

- Premium top grain Goatskin for abrasion resistance.
- High dexterity and excellent touch-sensitivity
- Keystone thumb for easy movement.
- Fleece lined for extra warmth.
- EN 388:2003 | EN 407

## TIG Welding Gloves

### #5SRA-800206

- Goatskin full grain leather.
- Cowhide split leather cuff.
- Unlined to maximize feel and dexterity.
- Kevlar® Technology sewn.
- EN 388:2003 | EN 407



# Safety Gloves



## Chemical Resistant Gloves

### #5SRA-501433

- Special formulated nitrile compound for resistance to a broad range of solvents and oil based chemicals.
- Good abrasion resistance.
- Flocklined and diamond finish on palm
- EN420:2003 EN388:2003 4101
- EN374:2003 EN374-1:2003 AJK

## Chemical Resistant Gloves

### #5SRA-501432

- Unsupported Chloroprene (Neoprene) Flocklined Gloves
- Non-Slip Grip: Pebble
- Cuff: Straight
- EN420:2003 EN388:2003 4101
- EN374:2003 EN374-1:2003



## Two-Tone Chemical Resistance

### #5SRA-600552

- 13" length is longer than most other gloves for added protection.
- Soft flocklined absorbs perspiration and feels comfortable with exposed to solvents.
- Zig Zag pattern provides a better grip while handling wet or dry areas.
- EN420:2003 EN388:2003 4101
- EN374:2003 EN374-1:2003

## Nitrile Fully Coated Gloves

### #5SRA-501431

- Stronger and more flexible than PVC.
- Provide excellent barrier to grease and oil.
- Silicone free.
- Moisture repellent.
- EN ISO 374-1:2016



## Long Sleeve Chemical Gloves

### #5SRA-600553

- 65cm long provides extended protection for entire arm.
- Nitrile fully coated for excellent protection from Hydrocarbon and a wide array of solvents, oils and acids.
- EN ISO 374-1:2016



## Cold Storage Gloves #5SRA-501630

- Foam insulation with tricot lining
- Split cowhide
- Heavy-duty knit wrist
- Improved fit
- Improved durability
- EN ISO 374-1:2016

## Electrical Safety Gloves

### #5SRA-501629

- Used exclusively for electrical purposes.
- Protective equipment for work under voltage up to 1kV
- PN-EN 61482-1-1: 2009
- ASTM F2675/F2575M - 13



## Heat Resistance Gloves

### #5SRA-501628

- Aluminized Back Glove
- 19 oz. Aluminized CARBON/KEVLAR®
- 5 oz. special tanned split heat resistant leather palm
- 14" length, 11 oz. knitted wool lining
- Wing thumb, gunn cut style
- KEVLAR® thread sewn
- UPTO 500 degree
- EN388:2016 4X43E



## Disposable Gloves (Vinyl, Nitrile, Latex) #5SRA-600554

# Safety Gloves



## Beta 1 #5SRA-500751

- Tested for harmful substances according to Oeko-Tex® Standard 100
- Excellent resistance to abrasion
- Flexible and comfortable
- Excellent dexterity
- Sanitized® antimicrobial finish provides extra freshness
- EN388: 2016

## Aria™ #5SRA-500750

- Sanitized® antimicrobial finish provides extra freshness
- Grey and black aesthetics for extended use
- Seamless liner minimises any irritation
- EN388: 2016 **4131X**



## Theta 5™ #5SRA-500756

- Excellent grip in wet, oily or dry conditions
- Anatomically designed for comfort, dexterity and fit, glove retains flexibility despite the high protection levels
- Treated with Actifresh to kill bacteria and promote freshness
- EN388: 2003 **4542**

## Utah™ #5SRA-500748

- Significantly stronger alternative to latex
- Comfortable with a 'second skin' feel
- Resistant to oils, acids and many chemicals
- Conforms to ASTM D6319-10 and D6124-06
- AQL 1.5
- EN374:2003



## Torq® Red #5SRA-500745

- Resistance to contact heat up to 250°C
- Neoprene cuff resists snagging and offers a comfortable and secure fit
- Kevlar® stitches on palm for increased lifetime
- Anatomical design helps prevent hand fatigue
- Identification tag integrated into cuff
- EN407: 2004



## **Eurocut L400** **#5SRA-7000101**

- Very nice soft leather,
- Light weight adjustable shoulder bag strap

## **Eurocut P600** **#5SRA-7000102**

- Durable polyester base fabric
- Self inflating valve for simple & easy inflation



## **Eurocut N300** **#5SRA-7000103**

- Large main compartment
- Adjustable shoulder strap



## **Eurocut N600** **#5SRA-7000104**

- High contour design
- Meets ANSI Z87.1 + High Impact Standard



## **Eurocut SC580L** **#5SRA-7000105**

- High contour design
- Meets ANSI Z87.1 + High Impact Standard

# Safety Gloves



**Eurocut P330**  
**#5SRA-7000106**

- Very nice soft leather,
- Light weight adjustable shoulder bag strap

**Eurocut Strong 100**  
**#5SRA-7000107**

- Durable polyester base fabric
- Self inflating valve for simple & easy inflation



**Eurocut Impact 100**  
**#5SRA-7000108**

- Large main compartment
- Adjustable shoulder strap

**Eurocut Impact 200**  
**#5SRA-7000109**

- Easy grab zip pullers
- Cable Entry
- Adjustable shoulder strap



**Eurocut Sleeve 450**  
**#5SRA-7000110**

- Easy grab zip pullers
- Cable Entry
- Adjustable shoulder strap



# FOOT PROTECTION

▲ SAFETY SHOES

▲ RIGGER BOOTS

▲ SNAKE GUARD SHOES

# Safety Shoes

**ADNOC**  
APPROVED PRODUCT



**Ultimate Range  
Atlanta & Denver  
#5SRA-501341 & 343**

- PU Padded Collar.
- 2D PU + Rubber Outsole.
- Heat Resistance 300oC.

**ADNOC**  
APPROVED PRODUCT



**Ultimate Range  
Houston & Essex  
#5SRA-501340 & 342**

- PU Padded Collar.
- 2D PU + Rubber Outsole.
- Heat Resistance 300oC.

**ADNOC**  
APPROVED PRODUCT



**Supervisor - 787  
#5SRA-501338**

- Steel Mid Plate, Soft Cushioned eve padded insole.
- 2D PU Outsole.
- Shoe Confirms EN 345

**ADNOC**  
APPROVED PRODUCT



**Supervisor - AS3  
#5SRA-501336**

- PU Padded collar and tongue.
- 2D PU Outsole.
- Shoe Confirms EN 345

**ADNOC**  
APPROVED PRODUCT



**Supervisor - DS3  
#5SRA-501337**

- PU Padded collar and tongue.
- 2D PU Outsole.
- Shoe Confirms EN 345

**ADNOC**  
APPROVED PRODUCT



**Labor Shoes - APU & DPU  
#5SRA-501334 & 335**

- Steel Mid Plate, Soft Cushioned Eve Padded Insole, PU Padded Collar & Tongue. 2D PU Outsole.
- Shoe Confirms EN 345



**Pull on boots  
#5SRA-9105ACL**

**ADNOC**  
APPROVED PRODUCT

- 100% Genuine Leather Upper
- Non Woven Fabric/ leather lining
- European Norms Steel Toe Cap 200 Joules



# Safety Shoes



**ADNOC**  
APPROVED PRODUCT

**Nakrite - High Ankle**  
**#5SRA-800145**

- Black safety protective footwear with steel nose brace and base plate.
- Antistatic two-layer pu sole
- EN: ISO20345:2011 S1P SRC



**Pearl 9 Metal Free**  
**#5SRA-600547**

- Black safety protective footwear with steel nose brace and base plate.
- Antistatic two-layer pu sole
- EN: ISO20345:2011 S1P SRC



**Move Lemon/Green**  
**#5SRA-00546/548**

- Black safety protective footwear with steel nose brace and base plate.
- Antistatic two-layer pu sole
- EN: ISO20345:2011 S1P SRC



**Nakrite - Low Ankle**  
**#5SRA-800146**

- Black safety protective footwear with steel nose brace and base plate.
- Antistatic two-layer pu sole
- EN: ISO20345:2011 S1P SRC



**Orthite**  
**#5SRA-110013**

- Composite toecap
- External sole in double Upper: breathable Micro Breathable mesh lining



**Cobalt II - 9COBL**  
**#5SRA-110012**

- Composite toecap
- Antipenetration textile sole
- External sole in double density PU/PU



**Cobalt II**  
**#5SRA-110011**

- Composite toecap
- Antipenetration textile sole
- External sole in double density PU/PU



**Hillite**  
**#5SRA-110014**

- External sole in Rubber
- Reinforcement : front in Nubuck
- Textile tightening loops, High shoes plastic hooks



**Lead - 9LEAH**  
**#5SRA-110015**

- Composite toecap
- Antipenetration textile sole
- External sole in double density PU/PU

**coverguard**

# Safety Shoes



## FLINT

### #5SRA-110019

- Adherence and gripping on rough floors.
- Grooves for liquid and mud dispersement.
- Raised heel 1 cm and lateral edges



## GALAXITE S1P

### #5SRA-110020

- Lightweight
- Flexible and cushioning
- Breathable



## GOLD

### #5SRA-00546/548

- Anti-scratch UV absorbing polycarbonate lens
- Meets ANSI Z87.1 + High Impact Standard



## ONYX

### #5SRA-110017

- Resists to fuel and oil contact
- Offers excellent shock absorption



## PARAIBA

### #5SRA-110016

- a toe-cap and an anti-penetration plate
- slip-resistant on ceramic or steel floor



## ROCK

### #5SRA-110018

- Waterproof membrane: impermeability.
- PU reinforcement piece: ankle support.
- EVA perforated insole with silicone insert:



## SAPHIR

### #5SRA-110023

- Lightness & Flexibility.
- Comfort of use (insole foam HI-POLY + midsole EVA).
- Dynamic profile and degraded two-tone outsole.



## ALUNI

### #5SRA-110022

- Flexible and water repellent upper.
- Scuff cap front and back.
- Insole foam with pads: comfort.



## SCHORL Haute

### #5SRA-110021

- Sport design
- Free metal
- Reflective trim
- Defined and raised heel

# Safety Shoes



**Freedite Metal Free**  
**#5SRA-110026**

- Black safety protective footwear with steel nose brace and base plate.
- Antistatic two-layer pu sole
- EN: ISO20345:2011 S1P SRC



**Okenite Clog - ESD**  
**#5SRA-110025**

- Composite toecap
- External sole in double density PU/PU
- Upper: breathable Microfiber in PU
- Breathable mesh lining



**Okenite**  
**#5SRA-110024**

- Composite toecap
- External sole in double density PU/PU
- Upper: breathable Microfiber in PU
- Breathable mesh lining



**PMR Office Type Shoe**  
**#5SRA-E4880**

- Smooth/ Nubuck Leather Upper
- Comes with NON-METALLIC 200J Safety Toe



**PMR Athlecta Sporty**  
**#5SRA-600549**

- Upper Leather: Buff Din Nubuck Black 1.8 – 2.0mm Thickness
- Tongue/ Collar Upper: Black Gallop Mesh
- S3 SRC (Conforms EN ISO 20345)



**PMR Athlecta Sporty**  
**#5SRA-600550**

- Upper Leather: Buff Din Nubuck Black 1.8 – 2.0mm Thickness
- Tongue/ Collar Upper: Black Gallop Mesh
- S3 SRC (Conforms EN ISO 20345)



## Snake Guard Shoes

**#5SRA-110027**

- Penetration tested to ASTM 1342-05
- Solid Colors meet Cal. 117
- Made in the USA.

# Safety Shoes



**Digger Crete**  
**#5SRA-600539**

- Antiperforation insole: Highsafe-tex
- Plantar: Anatomical removable E.V.A.
- Regulations: EN ISO 20345 S3 SRC



**Agility Black**  
**#5SRA-600538**

- Antiperforation insole: Highsafe-tex
- Plantar: Anatomical removable E.V.A.
- Regulations: EN ISO 20345 S3 SRC



**Dike Jumper Black**  
**#5SRA-600527**

- Antiperforation insole: Highsafe-tex
- Plantar: Anatomical removable E.V.A.
- Regulations: EN ISO 20345 S3 SRC



**Dike Brave Check Blue**  
**#5SRA-600621**

- Antiperforation insole: Highsafe-tex
- Plantar: Anatomical removable E.V.A.
- Regulations: EN ISO 20345 S3 SRC



**Summit Yellow**  
**#5SRA-600622**

- Antiperforation insole: Highsafe-tex
- Plantar: Anatomical removable E.V.A.
- Regulations: EN ISO 20345 S3 SRC



**Sky Blue Cyclon**  
**#5SRA-600624**

- Antiperforation insole: Highsafe-tex
- Plantar: Anatomical removable E.V.A.
- Regulations: EN ISO 20345 S3 SRC



**FIREMAN BOOT**  
**#5SRA-600625**

- Fire resistant Ships Wheel approved Wellingtons
- resistance to chemicals: fuels, greases, solvents, weak and diluted acids.
- EN 20345 and EN 15090

**DIKE**

**PG** P G PRODUCTS LTD



# RESPIRATORY

▲ DISPOSABLE MASKS

▲ RESPIRATOR

▲ CATRIDGES

# Disposable Mask



**PMR N95 Mask  
(With/Without Valve)  
#P910-N95**

- Disposable N95 Masks
- NIOSH Approved



**PMR N95 Mask  
(Flat Fold)  
#5SRA-600123**

- Disposable N95 Masks
- NIOSH Approved



**Lightweight Dust Mask  
#BG10/BG20**

- Disposable and Maintenance Free Mask
- For easy breathing and normal speaking



**Savior N95 Mask  
(Cup Type)  
#SV210**

- Disposable N95 Masks
- NIOSH Approved



**Flatfold Respirators - FFP2  
#BG-102VF**

- Meets the requirements of EN149 (FFP2 NR)
- APPROVALS: CE0194, EN149:2001 + A1:2009



**Flatfold Respirators - FFP3  
#BG-103VF**

- Meets the requirements of EN149 (FFP3 NR)
- APPROVALS: CE0194, EN149:2001 + A1:2009



**PMR Safety  
Reusable Mask  
#5SRA-112002**

- Reusable & Washable
- Comfortable & Breathable Material
- 3 Layer protection



**Fine Guard  
Reusable Mask  
#5SRA-112003**

- Made of comfortable, Soft material
- Equipped with Adjustable straps



**3-PLY Mask  
#5SRA-1011022**

- Easy Breathing
- FDA Approved

# Respirators & Cartridges



**Half Face Mask - 200LS**  
**#5SRA-501536**

- Lightweight, cost-efficient
- STANDARDS: AS/NZS 1716:2003, 42 CFR Part 84



**Half Face Mask - 420**  
**#5SRA-501622**

- Increase comfort and provide customized fit
- NIOSH approved
- AS/NZS 1716:2003



**Comfo Classic Mask**  
**#5SRA-501619**

- Face seal design provides tight, comfortable fit
- NIOSH approved



**Full Face Mask - 3200**  
**#5SRA-501535**

- Design to lower breathing resistance.
- EN136 class 2 (Twin port, Advantage bayonet)
- RU: GOST R 12.4.189-99



**3S Full-Facepiece Respirator**  
**#5SRA-501623**

- Available in standard and small sizes
- EN 136, Class 3
- EN 136, Class 2 [3S Basic Plus]



**Cartridge for 3S Full Face**  
**#5SRA-501624**

- Light weight design
- NIOSH-certified to 42 CFR, Part 87



**Cartridge for 200LS**  
**#5SRA-501537**

- Light weight design
- NIOSH-certified to 42 CFR, Part 87



**Cartridge for Comfo Classic**  
**#5SRA-501620**

- Light weight design
- NIOSH-certified to 42 CFR, Part 87



**Cartridge for 3200**  
**#5SRA-501621**

- Light weight design
- NIOSH-certified to 42 CFR, Part 87

# Respirators & Cartridges



**Panarea Full Face Mask**  
**#5SRA-8000101**

- 180 degree visual angle without distortion.
- EN136:200



**Eurmask Half Face Mask**  
**#5SRA-8000102**

- TPE: no contact with silicone or latex
- EN 140:1998



**Eurmask Half Face Mask**  
**#5SRA-8000103**

- Fits with ocular protection (glasses or goggles)
- EN 140:1998



**Panoramask**  
**#5SRA-8000104**

- Broad polycarbonate screen.
- Phonic diaphragm.
- EN 136:2000



**Easymask**  
**#5SRA-8000105**

- Fits with ocular protection (glasses or goggles)
- EN 140:2000



**Polycarbomask**  
**#5SRA-8000106**

- Broad polycarbonate screen.
- Phonic diaphragm.
- EN 136:2000



**21200 Cartridge**  
**#5SRA-8000107**

- DIN RD40 Fixation
- En14387:2004 + A1:2008



**21400 Cartridge**  
**#5SRA-8000108**

- DIN RD40 Fixation
- En14387:2004 + A1:2008



**21500 Cartridge**  
**#5SRA-8000109**

- DIN RD40 Fixation
- En14387:2004 + A1:2008





# FALL PROTECTION

▲ HARNESS

▲ LANYARD



**V-From Full Body Harness**  
#5SRA-700171

- Back D-ring 3 adjusters Qwik-Fit buckles



**V-From Full Body Harness**  
#5SRA-700172

- Back D-ring 5 adjusters Qwik-Fit buckles



**V-From Full Body Harness**  
#5SRA-700173

- Back D-ring, Polyester made, Qwik-Fit Buckles



**Pullover Style Harness**  
#5SRA-700174

- Tongue Buckle Leg straps, Qwik-fit Chest Strap, Back Hip and Chest D-Rings, Shoulder Padding



**Gravity Suspension Harness**  
#5SRA-700175

- Front Back, 2 Side D-ring, 5 Adjusters
- Waist, Leg, Shoulder Pad, Polyester Webbing
- Fall Indicator



**Gravity Utility ASTM Harness**  
#5SRA-700176

- Chest D-ring
- Dorsal D-ring
- Ventral Loops



**Personal Rescue Device® EVOTECH Harness**  
#5SRA-800147

- 65ft (20ml) length
- Significantly reduces rescue time.
- Self-activated



**Personal Rescue Device® EVOTECH ARC Harness**  
#5SRA-800148

- 65ft (20ml) length
- Significantly reduces rescue time.
- Self-activated



**Latchways Sealed Self Retracting Lanyard**  
#5SRA-700183

- Completely field serviceable.
- IP69K ingress protection , ATEX Assessed.
- Accelerated corrosion testing



**Web SRL with Snap hook**  
#5SRA-700178

- High-impact polycarbonate housing.
- 360 fully rotating attachment point for complete flexibility.



**MSA Latchways Standard SRL**  
#5SRA-700179

- Completely field-serviceable
- Frictionless Constant- Force® braking mechanism.
- ATEX assessed, Impact resistant housing



**MSA Latchways Leading Edge SRL**  
#5SRA-700180


- Expansive mobility
- Versatile connection
- Reliable technology
- Strong and tested

# Confined Space Kit

**MSA**

**PMR SAFETY**

**SureWerx™**



## MSA Rescue Utility System #5SRA-700182

- Ideal for use in confined space application
- Capable of lifting or lowering 600lb. (272kg)
- Rapid deployment
- Virtually maintenance-free
- Rated for two-person load



## Anti-Static Energy Absorbing Lanyards #5SRA-700183

- 44mm wide anti-static webbing
- Energy absorber is covered by special antistatic tubular sleeve
- Choice of single- or twin-leg configurations
- EN ISO 80079-36:2016 and EN ISO 80079-37:2016



## Confined Space Entry Kit #5SRA-700181

- Skid resistant feet
- Automatic hinge lock legs with incremental adjustment
- Integral shock absorber
- Accessories attach to any leg for faster setup.
- Allow for non-entry rescue of a confined space entrant
- Great portability of entire tripod kit.



## PMR Safety Harness With Double Lanyard #5SRA-701177

- Minimum Breaking Strength of 5000 LBS
- 2 Ways of Adjustments
- 1 Dorsal "D-Ring"
- Size - Free Size
- Double Hook With Shock Absorber
- Certified according to CE0321, EN 355:2002



**Polyester Webbing Harness  
#55RA-700187**

- 3 Point Adjustable Harness: Chest & Legs
- Adjustable back D-Ring
- Chemical resistant polyester webbing
- Convenient inspection grid on label
- OSHA 1926 ,ANSI Z359.1



**Polyester Webbing Harness  
#55RA-700188**

- Adjustable back D-Ring
- Chemical resistant polyester webbing
- Convenient inspection grid on label
- Multiple adjustment points for best fit
- OSHA 1926 ,ANSI Z359.1



**Safety Harness with 3 D-Ring  
#55RA-700189**

- Chemical resistant polyester webbing.
- Heavy Duty hardware for superior strength.
- Convenient inspection grid on label.
- OSHA 1926 ,ANSI Z359.1



**Polyester Webbing Harness With steel D-Ring  
#55RA-700190**

- Adjustable back D-Ring
- Chemical resistant polyester webbing
- Convenient inspection grid on label
- Multiple adjustment points for best fit
- OSHA 1926 ,ANSI Z359.1



**Front & Side D-Ring Harness  
#55RA-501185**

- Adjustable back D-Ring
- Chemical resistant polyester webbing
- Convenient inspection grid on label
- Multiple adjustment points for best fit
- OSHA 1926 ,ANSI Z359.1



**Harness with Shoulder D-Ring  
#55RA-501206**

- Adjustable back D-Ring
- Chemical resistant polyester webbing
- Convenient inspection grid on label
- Multiple adjustment points for best fit
- OSHA 1926 ,ANSI Z359.1



**Safety Harness with Suspension Seat  
#55RA-501195**



**Safety Harness with Back & Side D-Ring  
#55RA-501205**

# Harness & Lanyards



**Fire Rescue Harness**  
#5SRA-502017

- Fire-Rescue Harness™ Remains One of the most Versatile, Multiple-use Harnesses Available. this Popular harness Features Multiple D-ring Attachment Points and our JackBack™ Removable padding With Breathable D3 cloth



**Confined Space Harness**  
#5SRA-502019

- heavy rescue and USAR Incidents, our ANSI-rated Confined Space Harness™ is Exceptionally comfortable, Even when used for a Shoulder lift.
- ANSI Z359.11 & ANSI Z359.11



**MSA/ Sellstrom Lanyard**  
#5SRA-700115/114



**Pick Pro Harness**  
#5SRA-502019



**Bungee Style Lanyard**  
#5SRA-501643



**Fall Harness Pakteen**  
#5SRA-700189



**Self-Retracting Lanyard**  
#5SRA-700184

- 6' Dual SRL with harness connector and Aluminum Snap Hook
- Smallest and lightest self-retracting life line in the market
- OSHA 1910, OSHA 1926 Subpart M, ANSI Z359.1 Standards



**Self-Retracting Lanyard**  
#5SRA-700168

- 11' single SRL aluminum Aluminium Rebar Hook
- Eliminates tripping hazards from the use of shock absorbing lanyards
- OSHA 1910, OSHA 1926 Subpart M, ANSI Z359.1 Standards



**Self-Retracting Lanyard Class B**  
#5SRA-700169

- 40' SRL with Dyneema Webbing Lifeline
- High impact resistant housing design makes it robust and durable for the toughest work environments
- OSHA 1910, OSHA 1926 Subpart M, ANSI Z359.1 Standards



**Sellstrom Edge SRL**  
#5SRA-700113

- Certified to CSA Z259.2.2-98 (for non-Leading Edge applications) and ANSI Z359.14 (for Leading Edge applications)
- A Leading Edge SRL can be mounted below a worker's fall arrest D-Ring
- 20 Ft, 40 Ft, 60 Ft, 140 Ft, 170 Ft

**Sellstrom**®

**MSA**

**PMR SAFETY**

**SureWorx**

# Fall Protection

## Normal



**V-FLEX™ Safety Harness**  
#5SRA-800149

- Thumb loops on shoulder strap allows for easy harness adjustment and fit
- Integrated Safety Steps are stowed away in leg pads for suspension trauma prevention in a fall event
- ANSI Z359.11-2014



**V-FIT Derrick Harness**  
#5SRA-800150

- Harness, Back, D-Rings, Tongue Buckle Leg Straps and Shoulder Padding
- Material: Polyester , Aluminum
- ANSI Z359.14-2014

## Leading Edge



**V-EDGE™ LEP Fall Limiter**  
#5SRA-800151

- Uses web technology to provide a lightweight option for leading edge applications - reducing fatigue and increasing comfort!
- ANSI Z359.14-2014



**V-EDGE™ SRL**  
#5SRA-800152

- Easy inspection - Clear outer casing
- Downtime minimised - The cable, energy absorber and retraction dampener can all be replaced on site
- ANSI Z359.14



**V-TEC™ M Personal Fall Limiter**  
#5SRA-800153

- Designed with a clear casing, the V-TEC line of self-retracting lanyards allow the user to see inside the unit to ensure its functioning properly, giving the user 100% confidence and peace of mind.
- ANSI Z359.14



**V-TEC™ SR Lifeline**  
#5SRA-800154

- High-impact, clear polycarbonate housing simplifies pre-use inspection
- Fully rotating attachment point for complete user mobility
- 20ft.(6m) length
- ANSI Z359.14



**Sellstrom Contractor Kit**  
#5SRA-800155

- HARNESS: FBH-10020A CONTRACTORS 1D WITH TONGUE & GROMMET LEGS
- CONNECTOR: SA-7400-6U SHOCK PACK 6 FT WITH REGULAR SNAP HOOKS
- BAG: BAG-001 LARGE MESH BAG



**Sellstrom Compliance Kit**  
#5SRA-800156

- All in one Harness and Shock Absorbing Lanyard
- 3 points of adjustment for ultra-lightweight comfort
- Shock absorbing lanyard is permanently attached to rear D-ring

MSA

Sellstrom®

A collage of emergency medical equipment. The top half features a blue stretcher with a yellow frame. The bottom left shows a blue life vest and two white medical devices. The bottom right shows a wooden table with first aid supplies like scissors, tape, and bandages, and an orange and black bag.

# FIRST AID & RESCUE

▲ FIRST AID KIT

▲ RESCUE PRODUCTS



**First Responder Kit  
#5SRA-501387**

- CPR First Aid
- OSHA Standards



**First Aid Kit  
(25 & 50 Persons Kits)  
#5SRA-501377 & 1378**

- Wall-mount ANSI First Aid Kit in Plastic Carry Case
- OSHA Standards



**First Responder Kit  
#5SRA-501389**

- Cabinet is ANSI B+, Type I & II compliant
- Dispenser system reduces pilferage



**Small Responder Packs  
#5SRA-501382**

- Antiseptic towelettes, ointments and cream to clean wounds and treat itching



**Evacuation Chair  
#5SRA-502057**

- Designed for use in confined areas. Ideal for use in restaurants, high-rise office buildings, airplanes, boats, narrow hallways and stairwells



**Oregon Spine Spine II  
#5SRA-502033**

- Cabinet is ANSI B+, Type I & II compliant
- Dispenser system reduces pilferage



**Head & Neck Immobilizer  
#5SRA-501390**

- Make sure head immobilizer is taken apart.
- You should have 1 base plate, 2 head blocks and 2 head/chin straps.



**Inflatable Splint Kit  
#5SRA-501393**

- For immediate first-aid treatment of sprains, fractures, dislocations, cuts, burns and related injuries



**NEC LOC Extrication Collar  
#5SRA-501392**

- Two piece design, with front piece locking strap allows for maximum support and stability.
- Maneuverable chin piece allows for airway maintenance without loss of immobilization





# Stretchers



**ADNOC**  
APPROVED PRODUCT

**Skedco Basic Rescue System**  
#5SRA-501387




**ADNOC**  
APPROVED PRODUCT

**Easy-Fold Stretcher**  
#5SRA-502055



**ADNOC**  
APPROVED PRODUCT

**Flat Break-Away Stretcher**  
#5SRA-502051



**Plastic Stretcher**  
#5SRA-502050



**Comfo-Pad Stretcher**  
#5SRA-502054



**Lightweight Basket Stretcher**  
#5SRA-502056



**ADNOC**  
APPROVED PRODUCT

**Stretcher With Sling**  
#5SRA-502052



**Plastic Backboard**  
#5SRA-502058

**JUNKIN**



# Rescue Kits



**CSR Pulley System**  
**#5SRA-502000**

- Excellent choice for confined space entry
- Rope access where a heavy duty pulley system is required.



**Rope Rescue Kit**  
**#5SRA-502010**

- This rescue kit includes the gear to rig a main line lowering or raising system,
- mechanical advantage, and a separate belay system



**Rope Rescue Team Kit**  
**#5SRA-502004**

- (4X Rescuer Personal Kit) and CMC Rescue's popular Fire-Rescue Harness for departments that prefer a full-body harness.



**Con-Space Communication**  
**#5SRA-502029**

- Con-Space Communication



**Tower Rescue Kit**  
**#5SRA-502001**

- Rescue classes have enabled CMC Rescue to refine the equipment used to provide safer access when working at heights



**CSR2 Pulleys**  
**#5SRA-502012**

- All-new stronger, lighter-weight design
- Compatible with 11-13 mm rope
- Meets NFPA 1983 (2012 ED) – General Use



**Res-Q-Kit**  
**#5SRA-700129**

- The Res-Q-Kit is a unique 4:1 100' (30.4 m) raise and lower kit; it allows a person to be lowered using friction or raised by using a mechanical one-directional pulley



**Rope Rescue Kit**  
**#5SRA-502010**

- Includes: adjustable lifting strap, adjustable victim strap, one pair of ankle harnesses, two carabiners, storage bag
- Leaves both hands free for the rescuer to assist in the retrieval of another person



**Rescue Kit Synth Ladder**  
**#5SRA-800157**

- Consists of an adjustable lifting strap, an adjustable victim strap, one pair of ankle harnesses, two carabiners, and a storage bag.



**Emergency Descent Systems**  
**#5SRA-800158**

- Available in two descent rate options of three or six feet per second; depending on the height and number of users needed to evacuate.



**Latchways PRD®**  
**#5SRA-800159**

- 65ft (20m) length
- Significantly reduces rescue time
- Self-activated
- ANSI Z359.14



**MSA SSR 30/100**  
**#5SRA-800160**

- Fast and easy donning
- Air-tight case
- Low maintenance costs
- EN 13794 class 20S



**Quadpod rescue system**  
**#5SRA-501586**

- The free standing portable base has adjustable feet, so it will fit many applications.
- This rugged, and durable system features a pivoting arm that will rotate a full 360 degrees for maximum versatility.



**RES-Q-Pole**  
**#5SRA-503001**

- The PeakWorks Res-Q-Pole with Res-Q-Head is an innovative and effective solution designed to remotely connect a carabiner to a fallen worker or anchor
- Designed for use with the CP-03015-1 carabiner (sold separately)



**Confined Space Rescue**  
**#5SRA-503002**

- Non-slip rubber safety feet on all sides prevent the unit from moving
- Offers easy single-person setup



**MSA/XTIRPA™ MANHOLE GUARD SYSTEM**  
**#5SRA-503003**

- Manhole Guard Systems are portable anchorage connectors used for vertical entry into confined spaces

# METERS & DETECTORS

- ▲ GAS DETECTORS
- ▲ HEAT STRESS METERS
- ▲ ESCAPE HOOD





**ADNOC**  
APPROVED PRODUCT

## Multi-Gas Detector - ALTAIR 4XR #5SRA-600584

- Sense gas 2 times faster than the industry average with our XCell sensors



**ADNOC**  
APPROVED PRODUCT

## Multi-Gas Detector - ALTAIR 5X #5SRA-501410

- Requires about half of test gas typically used for calibration and bump tests.



## Twin Gas Detector - ALTAIR 2X #5SRA-600585

- Incorporate proven XCell® sensor technology
- Enhance worker safety, compliance and traceability



## Single Gas Detectors - ALTAIR #5SRA-501408

- 95 dB audible alarm (distinct High & Low alarms)
- Dual LED's positioned to be seen from all angles



**ADNOC**  
APPROVED PRODUCT

## GALAXY® GX2 Automated Test System #5SRA-501362

- Extremely simple to use; testing starts automatically without touching a single button



## MiniSCAPE for 5 Minutes #5SRA-800207

- Small design, high performance
- Quick and easy donning

# Breathing Apparatus



## MSA G1 Breathing Apparatus #5SRA-6000101

- Open port design with cross contamination protection
- Comfortable and easy to use, with low breathing resistance on and off air



## MSA Air Hawk Breathing Apparatus #5SRA-501590

- Easy to assemble, don and train
- Customise your fleet as per your needs



## MSA M1 SCBA #5SRA-6000102

- Easy to assemble, don and train
- Customise your fleet as per your needs
- Upgrades can be installed in the field



## Dräger PAS® Lite #5SRA-6000103

- Ensures consistent high performance and reliability.
- Ultra lightweight, high strength carbon composite space-frame.



## Dräger PSS 7000 #5SRA-6000104

- Supportive waist belt that keeps the SCBA at a lower center of gravity.
- User-selected height adjustment.
- Full-face mask comes in nine different sizes.



## Dräger Trolley Type Breathing Apparatus #5SRA-501646

- Robust welded durable steel frame powder coated
- Stainless Steel Fittings



# Escape Devices

**PIMR**  
SAFETY



## FIRE ESCAPE SMOKE HOOD

**#5SRA-200018**

- Provides 30 Minutes of Filtered Breathing protection.
- Also provides protection against most liquids



## SMOKE HOOD

**#5SRA-200019**

- Provides 30 Minutes of Filtered Breathing protection.
- Also provides protection against most liquids

**SAFESCAPE**



## Escape Mask (PARAT 4720)

**#5SRA-501647**

- Ready for escape in only 3 steps.
- Reliable protection.



## 15 Minutes Mask Type Escape Device PP15

**#5SRA-501358**

- In emergency situations, conditions can deteriorate rapidly.



## Escape Mask (S-CAP)

**#5SRA-501359**

- Easy-to-adjust hood is designed to protect from heat, smoke and gases



## Mini-Escape for 15 Minutes

**#5SRA-501361**

- Proven protection against a variety of harmful gases
- Approved DIN 58647-7.

**MSA**  
The Safety Company





## Heat Stress Monitor With Tripod -TWL #SSRA-500718

- Wet Bulb Globe Temperature (WBGT)
- Thermal Work Limit (TWL)



## Wireless Anemometer With Handheld Receiver #5SRA-800208

- 500m Wireless Transmission Range
- Instant Visual & Audible Wind Alarm



## Class 1 Sound Level Meter #SSRA-501625

- Class 1 Complies with IEC-61672-2013
- 10 Hz-20k Hz frequency range



## Scarlet Apollo M1 #5SRA-50164

- Wireless Hook View Camera
- Wireless Solar-Battery Power Station
- 30 Days full HD Recording
- 2 live focus ultra view camera



## Thermal Image Scanner #5SRA-501361

- Contact less & fast screening
- Instant screening Alarm
- Enhanced sensitivity detection



## Extech WTH600-E-KIT #5SRA-800161

- **Wireless Weather Station Kit**
- Flashing Amber LED indicator for Hi/Lo Alert warning



**Extech 407732-KIT**  
**#5SRA-800162**

- **Low/High Range Sound Level Meter Kit**
- High accuracy meets ANSI and IEC 651 Type 2 standards
- High and Low measuring ranges: 35 to 100dB (low) and 65 to 130dB (high)



**Extech AN310**  
**#5SRA-800163**

- **Large Vane CFM/CMM Anemometer/Psychrometer**
- Built-in thermistor for air temperature
- Multipoint and timed average calculations
- Min/Max, Data Hold, and Auto power off



**Testo 108**  
**#5SRA-800164**

- **Concrete Testing Thermometer**
- Ideal for all sectors of the food industry. From buying to transport, from storage to production and control



**PCE-RAM 10**  
**#5SRA-800165**

- **Radioactivity Meter**
- Software for data processing
- Bluetooth interface
- Large LCD display



**Besantek BST-AIT01**  
**#5SRA-800166**

- **Audio Impedance Tester**
- Data hold function.
- 0Ω adjustment.
- Battery operation.



**Extech EC100**  
**#5SRA-800167**

- **Conductivity Meter**
- Auto Power off with disable
- Adjustable Automatic Temperature Compensation



# TOOLS & EQUIPMENTS

▲ HAND & POWER TOOLS

▲ MARINE SAFETY





JET



## Hand Plier Sets #5SRA-600411

- Drop forged and heat treated carbon steel for strength and durability
- Polished surface for corrosion resistance
- Double plastisol Dipped handles for anti-slip and comfort grip



## Aviation Snips #5SRA-600405

- Induction hardened to HRC 60-62
- Serrated cutting edges designed to prevent material from slipping out of the blades
- Compound action reduces cutting effort



## Air Drill #5SRA-600406

- Side-mounted, forward/reverse switch
- Side-mounted, forward/reverse switch for quick and easy direction changes
- Variable-speed throttle ramps up to maximum RPM



## Wrench Sets #5SRA-600407

- panel combination wrenches made of industrial quality SAE 6140 Chrome Vanadium steel
- For increased torque all wrenches feature TORQUE DRIVE® box ends
- Wrench size stamped on the head for easier identification



## Tools Back Pack #5SRA-600425

- Premium quality 1680D polyester material for professional applications
- Double stitched for years of worry free use
- Thick padding on back of pack for user comfort
- Synthetic rubber feet protect pack from water and chemicals





## Air Cut-Off Tools

### #5SRA-600400

- Heavy-duty ball bearing construction increases durability
- Includes one 3" cutting wheel
- Safety throttle lock increases user safety



## Air Drill

### #5SRA-600401

- Side-mounted, forward/reverse switch
- Side-mounted, forward/reverse switch for quick and easy direction changes
- Variable-speed throttle ramps up to maximum RPM



## Air Hammers

### #5SRA-600402

- Pistol grip with variable-speed trigger for precise impact control on gradual starts and stops
- Standard spring retainer permits quick changing of tools
- Medium barrel length features a round shank design



## Measurement Tools

### #5SRA-600403

- Long Stainless Steel Measuring
- 3 in 1 Tape Steel Measure with Button



## Pipe Wrench

### #5SRA-600404

- Extra heavy duty cast head design – 20% stronger than competitive brands
- Hook and heel jaw made of Chrome Molybdenum (CrMo) for maximum grip and long life



## Tools Side Carry

**#5SRA-600427**

- Tool bag has a zip-closure to keep items secure
- Padded handles and reinforced stitching add durability and allows you to carry more weight
- Tool bag has a zip-closure to keep items secure. Padded handles and reinforced stitching



## Tools Waist Belt

**#5SRA-600426**

- Special design for portable demand of various tools
- Brace type pocket, convenience for taking and use when working
- Special made extra-thick polyester fibre, high load capacity



## Power Tools

**#5SRA-600408**

- Efficient design – provides pro torque in a 3/8 In. hammer drill/driver at only 1.8 Lbs. (tool only, not including battery)
- Brushless motor – delivers 300 In.-Lbs. of torque and a max speed of 1,750 rpm for outstanding performance



## Rechargeable Hanging Light

**#5SRA-600410**

- Shed warm, bright camping lantern to your outdoor event with a decorative dimmable hanging LED Light! Let it be your yard/garden/patio/porch/garden/barbecue or birthday party rechargeable Led light and upgrade your outdoor atmosphere.



## Bottle Jacks - 2N to 50N

**#5SRA-600412**

- Quick and easy maintenance
- Can be used horizontally
- Fast load approach screw





## CYLINDRICAL PIPE MARKERS #5SRA-800168

- 14 Type of products
- #9 Filter Welding Protractor, #19 Multi-Trammel Heads, Radius Marker -(Jumbo, Standard, Small, Mini, Dial-Set Level (DSL), etc



## FLANGE ALIGNING TOOLS #5SRA-800169

- 5 Type of products
- Dual-Angle Flange Level, Pro-Mag Level, Universal Level, Flange Aligner Base
- Pipe Flange Aligner



## PRE-ASSEMBLED KITS #5SRA-800170

- #1 Contour Marker
- #7 Centering Head
- #8 Pro Mag Level
- Standard Radius Marker
- Square Soap Stone and Holder



## BURNING SQUARE & GUIDES #5SRA-800171

- Designed for use with a burning torch or as a straight edge, the magnetic burning guide is constructed with highly durable material to withstand both heat and spatter. The tool's base has three 30-pound pull cast-in magnets for use in any position. A 24-inch blade on a raised plane is standard.



## WRAP-A-ROUND TOOLS #5SRA-800172

- Made from flexible gasket material with resistance to heat and cold
- Printed with a scale in inches, inch chart, tangent chart, and other useful markings
- Economical tool for marking straight lines around pipe or for use as a straight edge

# Cutters & Grinders

**DEWALT**



## DeWalt 20V MAX #5SRA-800173

- All metal lever action keyless blade
- Battery and charger sold separately. All metal key less shoe level
- 4 position orbital action
- Battery & charger sold separately



## DeWalt Heavy Duty Chop Saw With Wheel Included #5SRA-800174

- Accessible brushes to facilitate easy replacement
- Aluminium Arm-Light in weight yet robust
- New Designed Handle and crank handle with quick lock feature on the spindle

**STANLEY**



## Dewalt Cordless Brushless Jigsaw #5SRA-800175

- Intelligent variable speed trigger & lock off switch for quick controlled cuts and enhanced work safety
- 4 position pendulum action controls the aggressiveness or smoothness of cuts
- Tool free adjustable shoe with anti scratch cover bevels to 45 degrees in both directions



## STANLEY Project Hand Tool Set #5SRA-800176

- Contains the tools needed for most small repairs around the house.
- Full polish chrome finish for anti-corrosion protection.
- Blow molded case for easy tool storage and portability.

**ITC**



## STANLEY Li-ion Cordless Drill Driver #5SRA-800177

- Two speed transmission for optimal speed and torque control
- 45Nm of Torque ideal for drilling in wood and steel
- 24 Torque positions for effective screw driving
- Good ergonomics for better control.





## Inflatable Lifejackets

### #5SRA-501561

- Follow the latest SOLAS specifications
- Made of High Visibility Yellow fabric
- A lifting loop and a yellow buddy line attached for easier rescue.



## Lifebuoy Rings

### #5SRA-501570

- CE approved to SOLAS (L.S.A Code) \* by DNV-GL.
- Features an orange, rack hard, cross.
- unaffected by extreme weather conditions.



## Buoyancy Aid

### #5SRA-501593

- Dual webbing fasteners for total safety.
- Reflective silver edging and advanced back neck area complete its design characteristics.
- Certified per ISO 12402-7 and ISO 12402 -8.



## Liferaft

### #5SRA-501571

- For use on board commercial vessels engaged on international voyages
- Equipment Packs: SOLAS Pack A or SOLAS Pack B
- Available Capacities: from 6 to 35 Persons
- Flat Canister option available (Capacities from 8 to 12 Persons)



## Rescue Basket

### #5SRA-50165

- Frame members are constructed of tubular stainless steel with flexible net sides of 1/2" nylon webbing.
- NSN 1670-01-566-6578.



## Distress Flares & Smoke Flares #5SRA-501655

- Designed for use when sailing more than seven (7) miles from land.
- Can be seen during the day or night.
- USCG and SOLAS approved.



## Throwline Bag Set #5SRA-502027

- The handle makes for easy and accurate throwing and has a quick-release buckle to attach the bag to a boat or PFD applications.
- Interfaces for attachment of SCBA mask, lamps and



## Immersion Suit #5SRA-501560

- To be worn in conjunction with an approved lifejacket
- Can be unpacked, donned and secured in less than 2 min
- Fitted with 400 cm<sup>2</sup> of LALIZAS SOLAS retro-reflective tape
- Permanent Hands cover with neoprene gloves or rubber



## SKED Stretcher Flotation System #5SRA-501656

- Comes equipped for horizontal hoisting by helicopter or vertical hoisting in caves or industrial confined spaces
- Also available in O.D. Green for military, S.W.A.T. and other tactical situations.



## Air Horn/ Megaphone #5SRA-50165

- 1033' Voice Range, 1640' Siren Range
- 15W Rated Output Power
- Anti-Bacterial Treatment
- Up to 14 Hours Operating Time



## 4 TON BODY AND FRAME REPAIR KIT #5SRA-800178

- Double braided hydraulic hose provides protection against abrasion and heavy wear
- Attachments are interchangeable with other body and frame kits
- Includes case for easy transport



## 10 TON BODY AND FRAME REPAIR KIT #5SRA-800179

- Double braided hydraulic hose provides protection against abrasion and heavy wear
- Attachments are interchangeable with other body and frame kits
- Includes case for easy transport



## 20 TON BODY AND FRAME REPAIR KIT #5SRA-800180

- Attachments are interchangeable with other body and frame kits
- Heavy-duty blow mold case with wheels allows for easy transport in the shop or on the road
- Meets or exceeds ASME/PASE 2014



## AIR ASSIST FOOT PUMP OPEN BODY #5SRA-800181

- Develops up to 10,000 PSI pressure with overload protection
- Will operate all AFF rams
- Operates at 90 to 120 PSI
- 16 cu. oil capacity



## CAPACITY AIR ASSIST FOOT PUMP #5SRA-800182

- Will operate all AFF rams including large diameter & multiple ram configurations
- Operates at 90 PSI and up
- Quick displacement of up to 54.08 oz. hydraulic fluid
- Develops up to 10,000 PSI pressure
- Ship weight 19 lbs.



## ALUMINUM SERVICE JACK

#5SRA-800183



- 1-1/2 TON
- Lightweight anodized aluminum frame
- Polished plunger pistons provide a smooth surface for longer seal life
- Padded 2 pcandle
- 

## Heavy Duty Floor Jack

#5SRA-800184



- 3 Ton
- 2 PC Handle
- Plungers use a U Cup design for more efficient seal
- Constructed with safety valve to prevent overloading
- Includes 2 pc handle for easy storage

## LONG CHASSIS Jack

#5SRA-800185



- 5 TON
- Handle mounted locking control lever has 3 positions for better versatility in under car positioning
- Automatic overload safety valves for added safety
- Super long 56" body for easier lifting of vehicles with long

## LOW-PROFILE FLOOR JACK

#5SRA-800186



- Tough UV powder coated frame for greater protection and durability
- One-piece foam covered 50" handle for ease of positioning, pumping and storage.
- Safety valve prevents overload

## AIR/HYD AXLE JACK

#5SRA-800187



- 22 TON
- W/ 3PC EXT KIT
- Safety overload system prevents jack from being used beyond its rated capacity
- Operates at 90-180 PSI



# MISCELLANEOUS

▲ WIND SOCKS

▲ MARINE SAFETY



FIRST AID KIT




# Windsocks



**ADNOC**  
APPROVED PRODUCT

## Snap-On Windsocks 4Ft & 7Ft #5SRA-501648

- Large main compartment
- Adjustable shoulder strap



**ADNOC**  
APPROVED PRODUCT

## Swivel Frame & Swivel Arm #5SRA-501652


- Large main compartment
- Adjustable shoulder strap



**ADNOC**  
APPROVED PRODUCT

## Lace-On Windsocks 4Ft & 7Ft #5SRA-501650

- Large main compartment
- Adjustable shoulder strap



**ADNOC**  
APPROVED PRODUCT

## Illuminated Windsock Mast #5SRA-600418

- Large main compartment
- Adjustable shoulder strap



**ADNOC**  
APPROVED PRODUCT

## Solar Windsock & Mast #SSRA-501592

- Large main compartment
- Adjustable shoulder strap



**ADNOC**  
APPROVED PRODUCT

## Floodlit Windsock with Mast #5SRA-501552

- Large main compartment
- Adjustable shoulder strap

# Eye Wash & Shower Stations



**ADNOC**  
APPROVED PRODUCT

## Eye Wash Station #5SRA-800212

- Self-Contained 16 gallon gravity flow eye wash
- Meets ANSI Z358.1 for eye washes.



**ADNOC**  
APPROVED PRODUCT

## Eye Wash Station #5SRA-501492

- 6 Gallon, high density FDA green polyethylene.
- Water is directed into drain opening in tank basin.



## PEDESTAL MOUNTED EYE/ FACE WASH #5SRA-800211

- Free Standing, Pedestal mounted eyewash.
- Valve, Bowl and spray head assembly is factory assembled



## WALL MOUNTED EYE/ FACE WASH UNITS #5SRA-800213

- Wall mounting eyewash unit.
- Meets ANSI Z358.1 Standards.



**ADNOC**  
APPROVED PRODUCT

## SAFETY SHOWER WITH EYE BATH #5SRA-800209

- Corrosion Resistant – All Stainless Steel
- Construction Eyewash/Drench Shower Unit – Stainless Steel Bowl with 2



## SAFETY SHOWER WITH EYE BATH #5SRA-800210

- Corrosion Resistant – All Stainless Steel
- Construction Eyewash/Drench Shower Unit – Stainless Steel Bowl with 2

**sellstrom**<sup>®</sup>  
Product that works.

**PMR**  
SAFETY

# Fire & Welding Blankets

**sellstrom**<sup>®</sup>

Product that works.

**PIMR**<sup>®</sup>  
SAFETY

**JACKSON**<sup>®</sup>  
SAFETY



**Fire Blankets  
(Wrap-Around)  
#5SRA-501364**



**Rust Proof Fire Blanket Kit  
#5SRA-501363**



**Tube & Flat Pack  
Fire Blankets  
#5SRA-501366**



**Fire Blankets  
(100% Fiberglass)  
#5SRA-500800**



**Fire Blankets (Softshield)  
#5SRA-500802**



**Welding Blankets  
(100% Fiberglass)  
#5SRA-500807**



**Welding Curtains with  
Snap System  
#5SRA-500570**



**Cepro Welding Tents  
#5SRA-500487**



**Heavy Duty Portable  
Welding Screen  
#5SRA-500437**





## Haz-lo Headlamp #5SRA-800188

- 2 meter impact resistant
- Lightweight thermoplastic construction



## Survivor Alkaline #5SRA-800189

- High for a super-bright beam that pierces through smoke
- Low for bright light and longer run time
- 



## SL-23 Ex-Proof Flashlight #5SRA-800190

- Intrinsically Safe light with a smooth flood beam to safely illuminate your work area
- Rechargeable and Alkaline models available
- 



## SL-27 Rechargeable Ex-Proof Torch #5SRA-800191

- High contour design
- Meets ANSI Z87.1 + High Impact Standard



## SL-11 Ex-Proof Head Lamp #5SRA-800192

- Zone 0 rated for hazardous locations use
- 235 lumens (spot/flood combo)



## SL-21 Ex-Proof Flashlight #5SRA-800193

- White LED delivers 65 lumens; 96m beam distance; runs 24 hours
- Powered by 2 "AA" alkaline batteries (included)



# Obstruction Lights



**LED Solar Obstruction Light**  
**#5SRA-100102**

- High quality optics for excellent beam spread control
- Ultra-light LEDs, energy saving



**Aviation Obstruction Light**  
**#5SRA-100103**

- High quality optics for excellent beam spread control
- Customizable for both AC and DC conditions



**Wind Cone Light**  
**#5SRA-800194**

- Compliance to FAA and ICAO standard
- Toppling structure design, easy to maintain



**Solar Powered Marine Light**  
**#5SRA-800195**

- High contour design
- Meets ANSI Z87.1 + High Impact Standard



**Fire Vulcan LED Lantern**  
**#5SRA-800196**

- Waterproof
- 7.5" (L) x 5" (W) x 6.5" (H)



**Trident Headlamp**  
**#5SRA-800197**

- 2 meter impact resistant
- Lightweight thermoplastic construction

**PMR**  
SAFETY

**STREAMLIGHT**





**Leather Passport bags**  
**#5SRA-220010**

- Very nice soft leather,
- Light weight adjustable shoulder bag strap



**Normal kit bag**  
**#5SRA-220011**

- Durable polyester base fabric
- Self inflating valve for simple & easy inflation



**Small Kit Bag**  
**#5SRA-220012**

- Large main compartment
- Adjustable shoulder strap
- 



**Backpack Bag**  
**#5SRA-220013**

- Easy grab zip pullers
- Cable Entry
- Adjustable shoulder strap



**Large Kit Bag**  
**#5SRA-220014**

- Large main compartment
- Adjustable shoulder strap



**PMR Duffle Bag Black**  
**#5SRA-220017**

- Lightweight polyester honeycomb fabric
- Packaway - packs into its own front pocket
- Large main compartment
- Adjustable shoulder strap





**Reflective Tool Bag**  
**#5SRA-220016**

- Double zipper design, more flexible and smooth to use
- Reflective strip design on the front of the bag body, reflective strip warning at night, work safety



**Emergency Safety Kit**  
**#5SRA-501418**

- First Aid Kit, Medium Refill Pack
- Multiple compartments allow you to sort out your supplies for easy to grab access.
- This bag includes everything from safety goggles to a biohazard bag to waterproof tape and more.



**Regatta Duffle Bag**  
**#5SRA-220018**

- 60 Capacity
- Lightweight polyester honeycomb fabric
- Packaway - packs into its own front pocket
- Large main compartment



**Regatta Backpacks**  
**#5SRA-220019**

- Hardwearing 600D polyester ripstop
- Air mesh back construction to allow ventilated airflow
- Adjustable sliding chest harness
- Front bungee storage system



**Trolley Bag**  
**#5SRA-220020**

- COVERGUARD Travel Bag with wheels / backpack Black
- Dimensions: 77x35x35x39 cm
- Capacity: 100L
- Outer material: 1680D nylon, co

# Spill Kits & Pallets



**Spill Kits & Refills**  
#5SRA-501733



**Loose Absorbents**  
#5SRA-501734



**Absorbent Pads & Rolls**  
#5SRA-501735



**Wipers**  
#5SRA-501736

**PMR**  
SAFETY



**Spill containment (Pallet & Deck)**  
#5SRA-501731



**Containment Booms**  
#5SRA-501732

# Road Safety



**WARNING SURFACE PRODUCT**  
**#5SRA-800101**



**WARNING SURFACE PRODUCT**  
**#5SRA-800102**



**Warning Tape (R&W)**  
**#5SRA-501427**



**Plastic Chain (R&W)**  
**#5SRA-501544**



**Delineator Cone**  
**#5SRA-600500**



**Traffic Barrier**  
**#5SRA-600501**



**Traffic Cone**  
**#5SRA-600503**



**Baton Light**  
**#5SRA-600502**





**Padlocks**  
#5SRA-600189



**Padlock Station**  
#5SRA-600190



**Hasps**  
#5SRA-600191



**Metal Seals**  
#5SRA-60192



**Cable Ties**  
#5SRA-600193



**Tag**  
#5SRA-800198



**Cabinets**  
#5SRA-800199



**MSDS Box**  
#5SRA-600195



**Metal Seals**  
#5SRA-600196

# Other Safety Products



**All Types of Fire Extinguishers**  
#5SRA-501697

**ADNOC**  
APPROVED PRODUCT



**Fire Extinguisher Covers**  
#5SRA-501698



**Shoe Caps**  
#5SRA-501666



**Smoke Detector (Battery Operated)**  
#5SRA-502035



**Metatarsal Guard**  
#5SRA-501678



**Knee Pads**  
#5SRA-501679



**Arc Flash Kit**  
#5SRA-800200



**All Weather Car Emergency Kit**  
#5SRA-501657

**PiMPER**  
SAFETY

**CMC**  
RESCUE • SAFETY • ACCESS

**sellstrom**  
Product that works.

**SureWerx**  
FIT



# SIGNS & SIGN BOARDS

▲ SAFETY SIGNS

▲ SIGN BOARDS



# Signs & Sign Boards



NO ALCOHOL  
Utc-24



DO NOT WORK WITH  
INJURED HAND  
Utc-25



NO SHARP OBJECTS  
Utc-26



DO NOT DUMP  
GARBAGE IN THE SEA  
Utc-27



NO SWIMMING  
Utc-28



NO FISHING  
Utc-29



Utc-153



Utc-154



Utc-155



Utc-156



Utc-157



Utc-158

## Prohibition Signs #5SRA-1000215

## Mandatory Signs #5SRA-1000216



Utc-286



Utc-287



Utc-288



Utc-289



Utc-291



Utc-293



Utc-502



Utc-507



Utc-504



Utc-502



Utc-502



Utc-502

## Hazard Warning Signs #5SRA-1002

## Prohibition Signs #5SRA-1000



Utc-627



Utc-628



Utc-629



Utc-634



Utc-635



Utc-636



Utc-729



Utc-730



Utc-731



Utc-732



Utc-733



Utc-734

## Safe Condition Signs #5SRA-1004

## Maritime Organisation Signs #5SRA-1005

# Signs & Sign Boards



FIRE LADDER  
UIC-792



FIRE BLANKET  
UIC-793



DIRECTIONAL ARROW  
UIC-794



UIC-1194



UIC-1195



UIC-1196



MOBILE FOAM  
UIC-795



FIRE BUCKET  
UIC-797



MOBILE CO<sub>2</sub>  
UIC-796



UIC-1188



UIC-1193



UIC-1192

## Fire Fighting Equipment Signs #5SRA-1006

## Parking Signs #5SRA-1011



FIRE CONTROL PLAN



FIRE STATION OR OFFICE FOR FIRE ALARMS



FIRE ALARM HORN




HALON 1301



SPACE PROTECTED BY HALON 1301



HALON HORN



## Fire Control Signs #5SRA-1009

## International Regulatory Signs #5SRA-1010



## Danger Signs #5SRA-1014

## Information Signs #5SRA-1008




# Signs & Sign Boards



**Safety Site Board**  
#5SRA-1012



**Fire Extinguisher Inspection Tag**  
#5SRA-1013



**Warning Sign Boards**  
#5SRA-1018



**Fire Fighting Equipment Signs**  
#5SRA-1006



**Construction Site Safety Signs**  
#5SRA-1019



**Industrial Safety Signs**  
#5SRA-1020


# Showrooms



Uruguay Abu Dhabi Branch



Uruguay Mussafah Branch



Uruguay Sharjah Branch

## Uruguay Clothing



## Uruguay Arts



# Team Uruguay at ADIPEC



# Authorised distributor/dealer of

